ELSEVIER

Biochemical Pharmacology 64 (2002) 1807–1811

Biochemical Pharmacology

Author index Volume 64

Aarts, J.M.M.J.G., 1597
Abe, S., 1521
Acquaviva, C., 957
Adriaenssens, E., 797
Agar, N.S., 565
Agarwal, M., 1125
Aggarwal, B.B., 883
Agrawal, R., 1399
Ajioka, H., 21
Akoglu, B., 457
Aktas, B., 433
Al-Bayati, M.A., 517
Albert, D., 1767
Alcón, S., 1157
Alejandro, N.F., 31
Aline de Mello, M., 1617
Almará, A.M., 741
Alvarez-Barrientos, A., 1375
Alves, E.W., 1179
Alyce Bradbury, J., 1447
Ambudkar, S.V., 573
Amin Arnaout, M., 805
Amsterdam, A., 843
Anders, M.W., 553
Andersen, J.K., 1037
Anderson, L.M., 41
Andrés, D., 247, 267
Andrião-Escarso, S.H., 723
Angel, P., 949
Antunes, E., 169
Anuchapreeda, S., 573
Aouacheria, A., 1605
Ardail, D., 1279
Ardiet, C., 1279
Arduini, E., 1689
Arezzini, B., 1139
Arlt, V.M., 289
Arly Nelson, J., 185
Armstrong, M., 1579
Arnould, S., 1215
Arriaga, S.M., 741
Asaoka, K., 1101
Asselain, B., 507
Atlante, A., 201
Aubry, A., 1065
Ayrton, A., 1569
Azuma, J., 745

Baba, A., 745
Baell, J.B., 851
Baggetto, L.G., 943
Bahadur, N., 1579
Balasubramanian, K.A., 339
Ban, H.S., 1345
Bapiro, T.E., 1387
Barbaroux, C., 507
Barile, M., 201
Barouki, R., 1513
Barret, J.M., 733
Barry, S., 369
Bartfai, T., 363
Baruah, H., 191, 751
Basivireddy, J., 339
Baú, E.C., 169
Bauer, R., 617
Baumann, B., 487
Baur, R., 1415
Bechmann, I., 363, 369
Behrends, S., 109
Behrens, A., 781
Benoit, V., 873
Ben-Ze'ev, A., 865
Berthier, A., 527
Bertholet, V., 137
Bessède, G., 527
Beukers, M.W., 1251
Bezugla, Y., 1227
Bharath, S., 1037
Bharti, A.C., 883
Bianchi, N., 609
Bieler, C.A., 289
Bierbach, U., 191, 751
Bigelow, J.C., 1493
Biggin, S., 229
Bikádi, Z., 1651
Bindoli, A., 1133
Björkhem-Bergman, L., 159
Björnstedt, M., 159
Blarzino, C., 1503
Bliss, R.L., 393
Bode, K.A., 151
Boerboom, A.-M.J.F., 1597
Bohets, H., 1579
Borgatti, M., 609
Borutaite, V., 441
Bossis, G., 957
Bottari, S., 1207
Bouaziz, Z., 1605
Boudou, E., 507
Bours, V., 873
Boute, N., 813
Bova, S., 425
Boven, E., 1267
Bowes III, R.C., 31
Bragadin, M., 1133
Bral, C.M., 31
Brecht, S., 781
Breda, L., 609
Breyer, M.D., 1447
Bíró, T., 285
Brockly, F., 957
Bruschi, S.A., 413, 553
Buettner, R., 1629
Bugat, R., 1215
Burmeister, A., 645
Burstein, S.H., 1147
Busch, A.E., 1243
Buschini, A., 1617
Buss, J.L., 1689
Byrd, J.C., 551

Calderon, P.B., 633
Calvert, R.J., 41
Camello, P.J., 1157
Campbell, J.S., 413
Canal, P., 1215
Caniato, R., 229
Cao, W., 1533
Caputi, A.P., 327
Cargnelli, G., 425
Caricati-Neto, A., 1431
Cascales, M., 247, 267
Cassar, G., 1215
Castrillo, A., 247
Ceolotto, G., 425
Chandelier, N., 137
Chang, W.-T., 257
Chang, X., 771
Chantepie, J., 1279
Charles Mohr, F., 517
Chen, J., 1071
Chen, M., 1325
Chen, R., 185
Chen, S., 1317
Chen, W., 413
Chen, Y.-C., 1713
Chiang, H.-T., 1777
Chow, Y.-W., 257
Cinatl Jr., J., 239
Cinatl, J., 239
Ciofani, G., 1661
Ciriolo, M.R., 1057
Coccia, R., 1503
Cohen, L.H., 1483
Coleman, A.B., 1111
Comporti, M., 1139
Cooper, A.J.L., 553
Corbier, C., 1065
Cornelius Bollheimer, L., 1629
Corrêa, F.M.A., 723
Cortesi, R., 609
Costa, B., 625
Coumoul, X., 1513
Crespi, C.L., 1579
Cuccurullo, F., 1661

PII: S0006-2952(02)01532-0

Cuzzocrea, S., 327
Czaplicki, J., 733
Cziráki, A., 1785

da Silva, S., 1617
da Silva, W.D., 1179
Dalton, T.P., 351
Daly, A.K., 1579
Damalas, A., 865
Danielyan, L., 1201
Daubeuf, S., 207
David, M.L., 1325
Davis, L.S., 1447
de Albuquerque, C.N., 1617
De Backer, J.-P., 1207
de Cássia M. Escocard, R., 1179
de Cremoux, P., 507
de Groote, M., 1251
De Haan, L.H.J., 1597
de Jong, W.W., 1483
de Longueville, F., 137
De Marco, F., 1503
De Nucci, G., 169
De Ruijter, A.J.M., 1597
de Rycke, Y., 507
de Saizieu, A., 1637
De Wilde, G., 963
Delhalle, S., 873
Dell'Aica, I., 229
Demin, A.V., 649
DePierre, J.W., 353
Deregowski, V., 873
Díez-Fernández, C., 247
Di Paola, R., 327
Diano, S., 363, 369
Dickinson, D.A., 1019
Didierjean, C., 1065
Diederich, M., 753
Dierick, J.-F., 1011
Dieter, M.Z., 351
Dieter, P., 1227
Dietrich, C.P., 169
Dimmock, J.R., 1461
Ding, J., 1677
Dingermann, T., 1767
Diry, M., 1513
Diwan, B.A., 41
Doerr, H.W., 239
Dominici, S., 1027
Dominique, R., 1605
Donner, M.G., 151
Donohue Jr., T.M., 551
Donohue, C.A., 1111
Dugo, L., 327
Duncan Farrant, R., 67
Dunn, S.A., 1579
Duplus, E., 893
Dutta, G.P., 1399

Eckloff, B., 699
Edvinsson, L., 497
Eeckhoudt, S., 633
Efferth, T., 617
Eichel-Streiber, C.v., 971
El Yazidi-Belkoura, I., 797
Elford, H.L., 481
Eliaers, F., 1011
Elie, C., 507
Ellis, E.M., 353
Englert, M., 61
Eriksson, L.C., 159
Eriksson, S., 1559
Erkelens, C.A.M., 1267
Erlandsson, N., 487
Ermishov, M., 79
Evdokimova, E., 633
Evrard, S., 137

Fabre, C., 733
Fagny, C., 451
Fahy, J., 733
Fang, Y., 1071
Faust, D., 457
Fausto, N., 413
Fautrel, A., 1151
Fermandjian, S., 1125
Fernandez-Salguero, P.M., 1375
Ferrara, P., 957
Festi, D., 1661
Fetter, J.R., 1325
Fey, S.J., 1011
Fillion, H., 1605
Filomeni, G., 1057
Fine, R.L., 473
Fonnum, F., 657
Fontes, M.R.M., 723
Foppoli, C., 1503
Forest, C., 893
Forman, H.J., 1019
Forsberg, M.M., 463
Fortino, V., 1139
Fournet, G., 1279
Franklin, C.C., 413
Frei, E., 289
Freshwater, S.L., 351
Friedberg, T., 1569
Fritzer-Szekeres, M., 481
Fukami, H., 1187
Fukuda, Y., 1187
Fuly, A.L., 723
Funk, C.D., 1549

Galteau, M.M., 207
Gambari, R., 609
Gambert, P., 527
Garbisa, S., 229
Garcia-Horsman, A., 463
Gardi, C., 1139
Gawron, A., 1591
Gayet, L., 943
Geiger, J., 433
Gelhaye, E., 1065
Gemba, M., 543
Genovese, T., 327
Gerber, P.R., 1355
Giamberardino, M.A., 1661
Giehl, K.M., 487
Giglio, J.R., 723
Gilissen, R., 1579
Gille, L., 1737
Gillet, G., 1605
Giri, S.N., 517
Goh, L.-B., 1569
Gohil, K., 913
Goodman, S.L., 805
Gore, J., 1279
Gottlieb, T., 865
Grandvaux, N., 985
Grant, A., 353
Greene, L.J., 723
Grokhovsky, S., 79
Gröschel, B., 239
Grub, S., 1725
Grusch, M., 481
Guentert, T.W., 1637
Guichard, S., 1215
Guillouzo, A., 1151
Gynther, J., 463

Habener, J.F., 689
Haegeman, G., 963
Haghiac, M., 405
Hale, J.T., 1493
Hales, B.F., 711
Han, J.W., 1439
Han, S.B., 473
Hanas, J.S., 1757
Hanisch, U., 781
Haorah, J., 551
Hasegawa, T., 1521
Hasler, J.A., 1387
Hattori, M., 745
Hayes, D., 317
Hayes, J.D., 353
Haynes, J.M., 385
Heck, D.E., 1469
Heemskerk, J., 369
Hendrickx, J., 1579
Hennebelle, I., 1215
Herdegen, T., 781
Hermida-Ameijeiras, A., 125
Hichiya, H., 1101
Hidding, U., 781
Hilderman, R.H., 405
Hill, B., 733
Hippenstiel, S., 971
Hiscott, J., 985
Höchtl, T., 481
Hocker, J.R., 1757
Holbrook, N.J., 999
Hollenberg, M.D., 1461
Holmes, E., 67
Hondermarck, H., 797
Hong, D.H., 473
Hönig-Liedl, P., 433
Horie, S., 117
Horikawa, C., 1187
Horn, T.L., 393
Horvath, B., 369
Horvath, G., 369
Horvath, T.L., 363, 369
Horvath, Z., 481
Horwitz, J.P., 1533
Houdt, J.V., 1579
Höver, G., 239
Hsu, C.-Y., 257
Hsu, F.-L., 1713
Hsu, M., 1037
Huang, C.-Y.F., 177
Huang, D.C.S., 851
Huang, F.L., 1049
Huang, K.-P., 1049
Huang, P.-C., 257
Huang, S.M., 1147

Huber, W., 1355
Huen, M.S.Y., 1415
Hueni, S.E., 1533
Hügl, S.R., 1629
Hui, K.M., 1415
Hui, Y., 1549
Hulit, J., 827
Huseby, N.-E., 307

Iannazzo, L., 385
IJzerman, A.P., 1251
Ikeyama, S., 999
Ikonomidou, C., 1195
Inoue, T., 1079
Issad, T., 813

Jacob, M., 339
Jacquot, J.-P., 1065
Jäger, W., 481
Jain, S.K., 1399
Jaiswal, A.K., 1597
Jakubowicz-Gil, J., 1591
Jan, C.-R., 1777
Jane Hanas, R., 1757
Jariel-Encontre, I., 957
Jiang, J.-F., 1677
Jin, Y., 1469
Jones, G.L., 565
Jonker, J.W., 185
Jönsson, K., 159
Joseph Thompson, W., 1325
Jung, I.D., 1439
Jung, S.-H., 473
Jungermann, K., 903
Jurkiewicz, A., 1431
Juvonen, R.O., 463

Kabarowski, J.H.S., 161
Kagerbauer, S.M., 1629
Kahn, F.M., 1757
Kakutani, S., 1187
Kalvinsh, I., 645
Kamionka, S., 1227
Kamsteeg, M., 1305
Kanashiro, M.M., 1179
Kane, S.E., 1111
Kang, S.N., 1233
Kansy, M., 1355
Kao, Y.-C., 1317
Kataoka, H., 1101
Kaufmann, A., 239
Kaufmann, K., 487
Kaur, D., 1037
Kelly, V.P., 353
Kemp, D.M., 689
Kemptner, D.M., 1629
Keppler, D., 151
Ketpirune, J., 91
Kevin Kerzee, J., 31
Khomutov, A.R., 649
Kietzmann, T., 903
Kim, H.C., 473
Kim, H.J., 1233
Kim, H.M., 473
Kim, J.S., 1439
Kim, S.H., 1233
Kim, T.S., 1233
Kim, Y.P., 1345
Kimura, A., 677
King, L., 1447
Kipnis, T.L., 1179
Kirima, K., 1521
Kleiter, M., 1737
Kloor, D., 1201
Klotz, K.-N., 61
Knecht, R., 99
Knockaert, M., 819
Ko, C.-H., 1713
Koglin, M., 109
Kohda, Y., 543
Kolada, A., 1227
Komatsu, K., 745
Kondrová, E., 297
Kong, A.-N.T., 765, 1547
Kostenis, E., 1243
Kox, W.J., 369
Kratochwil, N.A., 1355
Kritchevsky, D., 41
Krones-Herzig, A., 903
Krüll, M., 971
Krupitza, G., 481
Kuhl, H., 99
Kulidjian, S.J., 1533
Kulms, D., 837
Kwong, M., 1669
Kyaw, M., 1521

Labandeira-García, J.L., 125
Labar, G., 633
Labialle, S., 943
Lafayette, S.S.L., 1431
Lambeir, A.-M., 1753
Lampidis, T.J., 1745
Lane, M.E., 1091
Lang, H., 1251
Lapenna, D., 1661
Larabee, J.L., 1757
Larsen, P.M., 1011
Lash, L.H., 1533
Laskin, J.D., 1469
Laube, B., 285
Lavé, T., 1637
Le Bourdellès, B., 137
Leal, J.F.M., 865
Leathart, J.B.S., 1579
Lee, C.W., 473
Lee, H.W., 1439
Lee, H.Y., 1439
Lee, K.B., 1439
Lee, R.J., 827
Lee, S., 1345
Lee, S.-H., 473
Lee, S.Y., 1439
Lee, W.-R., 1713
Leechanachai, P., 573
Lehmann, S., 159
Lei, H.-J., 177
Leier, I., 151
Lejus, C., 1151
Lemaire-Ewing, S., 527
Lemoine, J., 797
Lenormand, P., 755
Leoncini, G., 277
Leroy, P., 207
Li, A.H., 257
Li, H., 1325
Li, J.-H., 327
Li, Z.W., 1415
Liaudet, L., 1785
Li-Masters, T., 1703
Limtrakul, P.-n., 573
Lin, H.-Y., 1713
Lint, C.V., 925
Liu, C.-P., 1777
Liu, H., 1745
Liu, H.-Y., 9, 583
Liu, L., 1325
Liu, W.-J., 1677
Lizard, G., 527
López-Real, A.M., 125
Lorenzen, A., 645, 1251
Loves, W.J.P., 239
Lucacchini, A., 625
Luciani, S., 425
Luttringer, O., 1637

Ma, J., 1447
Mabley, J.G., 1785
MacDonald, R.G., 551
Machado, O.L.T., 1179
Maellaro, E., 1027
Magdelénat, H., 507
Majewski, H., 385
Maksay, G., 285
Malejka-Giganti, D., 393
Mallédant, Y., 1151
Manda, T., 1079
Mankowitz, L., 353
Mannens, G., 1579
Männistö, P.T., 463
Manson, M.M., 353
Marcante, M.L., 1503
Marcondes, S., 169
Margolin, S.B., 517
Marian, M., 1133
Mariano, T.M., 1469
Marks-Sojka, K., 49
Maronpot, R., 1447
Marthinet, E., 943
Martini, C., 625
Maser, E., 297
Masimirembwa, C.M., 1387
Masuda, Y., 677
Mathews, L.A., 1493
Matsuo, M., 1079
Matsuura, N., 21
Maucourt, K., 1125
Maya, R., 865
Mazzon, E., 327
McCormack, J.J., 1493
McVicker, D.L., 551
Meade, C.J., 317
Meester, I.D., 1753
Meijer, L., 819
Méndez-Álvarez, E., 125
Mendonça-Silva, D.L., 1337
Meneses-Lorente, G., 137
Ménétrier, F., 527
Menge, W., 1251
Merville, M.-P., 873
Metz, M.Z., 1111
Michael, D., 865
Michal, Y., 1279
Michiels, C., 889

Mielke, K., 781
Miguet-Alfonsi, C., 527
Mikkelsen, I.M., 307
Milon, A., 733
Milovic, V., 457, 649
Miner, J.N., 355
Mischiati, C., 609
Miyake, H., 21
Miyamoto, S., 369
Moas, M., 865
Mochalov, K., 79
Moens, U., 307
Momo, F., 1133
Monier, S., 527
Monnier, S.M., 191, 751
Mor, G., 1305
Morales, S., 1157
Morgan, E.T., 1703
Morgan, P., 1569
Mori, A., 117
Mortara, R.A., 1617
Mottet, D., 889
Mottino, A.D., 741
Mozrzymas, J.W., 595
Mukherjee, A.B., 177
Mulero-Navarro, S., 1375
Müller, F., 1355
Müller, W.E., 1767
Murayama, T., 117
Murphy, W.J., 1469
Mutch, E., 1579
Muto, T., 1187
Mutoh, S., 1079

Nabiev, I., 79
Nader, H.B., 169
Nakamura, N., 745
Nakano, M., 21
Naoe, Y., 1079
Narimatsu, S., 1101
Nastruzzi, C., 609
Nebert, D.W., 351
Necela, B., 49
Néel, B., 1605
Néel, D., 527
Nègre-Aminou, P., 1483
Nelson, S.D., 413
Neri, M., 1661
Nicholson, J.K., 67
Niedernberg, A., 1243
Nielson, C.P., 1169
Nishihara, K., 21
Nitsch, R., 363
Nobilis, M., 297
Noël, F., 1337, 1431
Nohl, H., 1737
Nomura, Y., 117
Noordhuis, P., 239
Notebaert, S., 963
Nozawa, Y., 21

Oguma, T., 677
Ohsawa, K., 117
Ohuchi, K., 1345
Okuma, Y., 117
Olbrich, A., 617
Oleinikov, V., 79
Olsson, J.M., 159
Omri, A., 1407
Oren, M., 865
Orito, T., 1293
Osmundsen, H., 657
Osswald, H., 1201
Ouyang, X., 745
Owuor, E.D., 765, 1547

Pacher, P., 1785
Palitzsch, K.-D., 1629
Pamukcu, R., 1325
Paolicchi, A., 207, 1027
Papp, L., 1785
Paris, J., 1605
Park, C.G., 1439
Parrish, A.R., 31
Pascale, R., 277
Pasha, M.K., 1461
Passarella, S., 201
Paul, C., 159
Pedone, C., 609
Peek Jr., R.M., 21
Peppelenbosch, M., 789
Perluigi, M., 1503
Pernet, K., 813
Pessôa, R.F., 1337
Pestell, R.G., 827
Peters, G.J., 239, 669
Petretski, J.H., 1179
Petros, T.J., 1147
Pezzato, E., 229
Pichard-Garcia, L., 297
Piechaczyk, M., 957
Pierce, R.H., 413
Pierdomenico, S.D., 1661
Pieri, L., 1027
Pike, A., 137
Pinedo, H.M., 1267
Piret, J.-P., 889
Pojoga, L.H., 405
Poli, P., 1617
Pollenz, R.S., 49
Pompella, A., 207, 1027
Ponka, P., 1689
Poso, A., 463
Poupon, M.F., 507
Pouysségur, J., 755
Pozo, M.J., 1157
Pozo-Guisado, E., 1375
Prates, M.V., 1179
Priebe, W., 1745
Proost, P., 1753
Protin, U., 317
Prunet, C., 527
Puga, A., 771
Putt, D.A., 1533

Quash, G., 1279
Quinlan, R.A., 1483
Quintas, L.E.M., 1431
Quitterer, U., 61
Quivy, V., 925

Raes, M., 889, 1011
Rahman, I., 935
Rajagopalan, S., 1037
Ramakrishna, G., 41
Ramos, K.S., 31
Rasson, J.-P., 137
Rebar, E.J., 919
Rector, C.L., 191, 751
Reichert, M.A., 393
Reichert, U., 1279
Rekka, E., 633
Remacle, J., 137, 1007, 1011
Reményi, A., 979
Ren, H., 1415
René, B., 1125
Ridderström, M., 1387
Rietjens, I.M.C.M., 1597
Rigal, D., 943
Rigobello, M.P., 1133
Rippmann, F., 805
Robberecht, P., 451
Roland Wolf, C., 1569
Roller, M., 99
Romanelli, A., 609
Rosa, J.C., 723
Rosei, M.A., 1503
Rossetti, R.G., 1147
Rossi, C., 1617
Rössler, O.G., 487
Rotilio, G., 1057
Rouhier, N., 1065
Royer, V., 1007
Russell, R.G., 827
Rzeski, W., 1195
Rzymowska, J., 1591

Sadowski, T., 217
Saito, K., 1187
Saito, M., 1187
Saito, T., 117
Sakurada, C., 1293
Sakurada, S., 1293
Sakurada, T., 1293
Salamon, A., 481
Salmon, M., 1007
Sänger, N., 99
Santiago-Josefat, B., 1375
Sartor, L., 229
Sasakawa, T., 1079
Sasakawa, Y., 1079
Sasson, R., 843
Satoh, T., 1101
Savaraj, N., 1745
Saviano, M., 609
Šavlík, M., 297
Schade, S., 1227
Scharpé, S., 1753
Scheibe, R., 1227
Scherer, C.R., 1243
Scheuermann, E.-H., 457
Schlüper, H.M.M., 1267
Schmeck, B., 971
Schöler, H.R., 979
Schölmerich, J., 1629
Schwabe, U., 645, 1251
Schwarz, R.E., 1111
Schwarz, T., 837
Scutari, G., 1133
Seger, R., 865
Seifert, R., 9, 583
Semenza, G.L., 993
Seow, K.-T., 805
Servant, M.J., 985

Seybold, J., 971
Sharma, R.K., 1461
Shek, P.N., 1407
Shen, S.-C., 1713
Shin, K.H., 1345
Shinoda, S., 1101
Shukla, O.P., 1399
Shvetsov, A.S., 649
Siddiqui, A., 1425
Siegmund, B., 1
Sigel, E., 1415
Signorello, M.G., 277
Simonyi, M., 1651
Siritanaratkul, N., 91
Skálová, L., 297
Skarning, C.R.-F., 657
Smid, K., 669
Smith, M.M., 573
Soares, A.M., 723
Solis, W.A., 351
Soto-Otero, R., 125
Spears, K.J., 1569
Sperl, G.J., 1325
Spies, C., 369
Staffas, L., 353
Stannek, C., 645
Steimel-Crespi, D., 1579
Stein, J., 457, 649
Steinbrugger, R., 481
Steinhilber, D., 1767
Steinmeyer, J., 217
Stenman, E., 497
Stevanato, R., 1133
Stiborová, M., 289
Straszewski, S., 1305
Strohmeier, R., 99
Sugiura, N., 1187
Sukhanova, A., 79
Sumida, M., 1187
Suntres, Z.E., 1407
Sur, R., 1469
Surry, D., 137
Suttorp, N., 971
Suzaki, Y., 1521
Suzuki, S., 1101
Svoboda, M., 451
Szabó, C., 1785
Szabowski, A., 949
Szekeres, T., 481
Szotáková, B., 297

Tai, H.-H., 375
Tajima, K., 843
Takahashi, K., 745
Takemi, C., 1101
Talbot, V., 137
Tamaki, T., 1521
Tan, Z., 771
Tan-No, K., 1293
Taplick, J., 865
Tardif, K.D., 1425
Taya, Y., 865
te Velde, A.A., 789
Teisseyre, A., 595
Tekwani, B.L., 1399
Tepper, S., 41
Theil, F.-P., 1637
Thiel, G., 487
Thomae, B., 699
Tohgo, A., 1267
Tolkovsky, A.M., 441
Tomilin, A., 979
Tomimori, Y., 1187
Tonge, R.P., 413
Toussaint, O., 1007, 1011
Tran-Perennou, C., 507
Trevisi, L., 425
Trincavelli, M.L., 625
Tripathi, R., 1399
Trommer, W.E., 1725
Tseng, S.-W., 1713
Tsuchiya, K., 1521
Tsuruoka, N., 1187
Tsuzuki, D., 1101
Turchanowa, L., 649
Turski, L., 1195
Tuscano, D., 625
Tze-Fei Wong, J., 1415

Uji, T., 21
Urnov, F.D., 919
Usova, E.V., 1559

Valenti, D., 201
van Capelle, D., 1597
van den IJssel, P., 1483
van der Graaf, P.H., 1251
van der Wilt, C.L., 669
van Deventer, S., 789
van Hattum, A.H., 1267
van Leeuwen, R.E.W., 1483
van Montfrans, C., 789
van Muijlwijk-Koezen, J., 1251
van Thiel, G.C.F., 1483
Vanden Berghe, W., 963
Vanderheyden, P.M.L., 1207
Vandevelde, M., 451
Varhaug, L.N., 657
Vasudevan, A., 339
Vattanaviboon, P., 91
Vauquelin, G., 1207
Venäläinen, J.I., 463
Verheijen, I., 1207
Vermeulen, L., 963
Vincenti, E., 1133
Vinson, R.K., 711
Visvikis, A., 207, 307
Volmat, V., 755

Wadler, S., 1091
Waetzig, V., 781
Wagner, E., 781
Walchshofer, N., 1605
Walker, J.M., 1147
Wallace, H.M., 649
Wallen, E.A.A., 463
Walter, U., 433
Wang, C.-Y., 177
Wang, H.-L., 257
Wang, H.Y., 1415
Wang, L., 699
Warden, C.H., 363, 369
Waris, G., 1425
Wasan, K.M., 1669
Waterfield, C.J., 67
Waters, N.J., 67
Weinshilboum, R., 699
Welge, J., 805
Wellman, M., 207
Wenzel-Seifert, K., 9
Wernli-Kuratli, K., 1637
Werz, O., 1767
Whitehead, C.M., 1325
Wieben, E., 699
Wiessler, M., 289
Wilairat, P., 91
Williams, F.M., 1579
Willmann, M., 1737
Wilmanns, M., 979
Wingett, D., 1169
Wirth, T., 487
Witte, O.N., 161
Wolf, A., 1725
Worboys, P., 137
Worrall, L., 317
Wright, M., 733
Wsól, V., 297

Xia, Y., 771
Xiao, D., 1677
Xie, Y., 517
Xiong, J.-P., 805
Xu, C.-B., 497
Xu, F., 1533
Xu, Y., 161
Xue, H., 1415
Xue, L., 441

Yamaki, K., 1345
Yamamoto, S., 375, 1101
Yamashiro, K., 1187
Yan, F., 375
Yang, S.Y., 1439
Yao, D., 1569
Ye, J., 1317
Yoshizumi, M., 1521
Yu, B., 1091
Yuan, C.-J., 177
Yuthavong, Y., 91

Zeldin, D.C., 1447
Zgouras, D., 457
Zhang, F., 1317
Zhang, J., 327
Zhang, Z., 177
Zheng, H., 1415
Zhou, D., 1317
Zhou, H., 375
Zhuze, A., 79
Zou, C.-G., 565
Zsila, F., 1651
Zucchi, T.M.A.D., 1617
Zündorf, I., 1767
Zurier, R.B., 1147

ELSEVIER

Biochemical Pharmacology 64 (2002) 1813–1837

Biochemical Pharmacology

Subject index Volume 64

αA domain
Divalent cations and the relationship between αA and βA domains in integrins, 805
A_3 effector coupling
Effector coupling of stably transfected human A_3 adenosine receptors in CHO cells, 61
A_{2A} adenosine receptors
Up-regulation of A_{2A} adenosine receptors by proinflammatory cytokines in rat PC12 cells, 625
A_{2A} AR radioligand binding
Up-regulation of A_{2A} adenosine receptors by proinflammatory cytokines in rat PC12 cells, 625
Acetaminophen
Cell culture model for acetaminophen-induced hepatocyte death *in vivo*, 413
Acetylation
Diversity of acetylation targets and roles in transcriptional regulation: the human immunodeficiency virus type 1 promoter as a model system, 925
Acidic phospholipase A_2
Structural and functional characterization of an acidic platelet aggregation inhibitor and hypotensive phospholipase A_2 from *Bothrops jararacussu* snake venom, 723
Acipimox
G protein-coupled receptor for nicotinic acid in mouse macrophages, 645
Acridine derivatives
Mechanism of action of non-cisplatin type DNA-targeted platinum anticancer agents: DNA interactions of novel acridinylthioureas and their platinum conjugates, 191
Actin polymerization
Differential effect of simvastatin on activation of Rac_1 vs. activation of the heat shock protein 27-mediated pathway upon oxidative stress, in human smooth muscle cells, 1483
Adenosine
Effector coupling of stably transfected human A_3 adenosine receptors in CHO cells, 61
Characterization of the cAMP binding site of purified *S*-adenosyl-homocysteine hydrolase from bovine kidney, 1201
Modulation of agonist responses at the A_1 adenosine receptor by an irreversible antagonist, receptor–G protein uncoupling and by the G protein activation state, 1251
Adenosine A_{2b} receptor
Induction of interleukin 8 release from the HMC-1 mast cell line: Synergy between stem cell factor and activators of the adenosine A_{2b} receptor, 317
Adenosine analogues
Characterization of the cAMP binding site of purified *S*-adenosyl-homocysteine hydrolase from bovine kidney, 1201
Adenosine receptor
Effector coupling of stably transfected human A_3 adenosine receptors in CHO cells, 61
S-Adenosyl-homocysteine hydrolase
Characterization of the cAMP binding site of purified *S*-adenosyl-homocysteine hydrolase from bovine kidney, 1201
Adenylyl cyclase
Similarities and differences in the coupling of human β_1- and β_2-adrenoceptors to Gsα splice variants, 9
Identification of two C-terminal amino acids, Ser^{355} and Thr^{357}, required for short-term homologous desensitization of μ-opioid receptors, 257
Inhibition of platelet P2Y12 and α2A receptor signaling by cGMP-dependent protein kinase, 433
Distinct interactions of $G_{s\alpha\text{-long}}$, $G_{s\alpha\text{-short}}$, and $G_{\alpha olf}$ with GTP, ITP, and XTP, 583
Adenylyl cyclase assay
Up-regulation of A_{2A} adenosine receptors by proinflammatory cytokines in rat PC12 cells, 625
Adipocyte
Is there a single mechanism for fatty acid regulation of gene transcription?, 893
ADME modeling
Predicting plasma protein binding of drugs: a new approach, 1355
Adrenergic signaling
Inhibition of platelet P2Y12 and α2A receptor signaling by cGMP-dependent protein kinase, 433
βA domain
Divalent cations and the relationship between αA and βA domains in integrins, 805
β_1-Adrenoceptor
Similarities and differences in the coupling of human β_1- and β_2-adrenoceptors to Gsα splice variants, 9
β_2-Adrenoceptor
Similarities and differences in the coupling of human β_1- and β_2-adrenoceptors to Gsα splice variants, 9
Distinct interactions of $G_{s\alpha\text{-long}}$, $G_{s\alpha\text{-short}}$, and $G_{\alpha olf}$ with GTP, ITP, and XTP, 583
Affinity chromatography
Identifying *in vivo* targets of cyclin-dependent kinase inhibitors by affinity chromatography, 819
Ageing
Age-related decline in cellular response to oxidative stress: links to growth factor signaling pathways with common defects, 999
Stress-induced premature senescence and tissue ageing, 1007
Stress-induced premature senescence and replicative senescence are different phenotypes, proteomic evidence, 1011
Agonist-induced phosphorylation
Identification of two C-terminal amino acids, Ser^{355} and Thr^{357}, required for short-term homologous desensitization of μ-opioid receptors, 257
Ah receptor
Activation of mitogen-activated protein kinases (MAPKs) by aromatic hydrocarbons: role in the regulation of aryl hydrocarbon receptor (AHR) function, 771
AHR-dependent gene transcription
Activation of mitogen-activated protein kinases (MAPKs) by aromatic hydrocarbons: role in the regulation of aryl hydrocarbon receptor (AHR) function, 771
Akt
Regulation of p53: intricate loops and delicate balances, 865

PII: S0006-2952(02)01533-2

Albumin binding prediction
Predicting plasma protein binding of drugs: a new approach, 1355
ALDH1
Novel competitive irreversible inhibitors of aldehyde dehydrogenase (ALDH1): restoration of chemosensitivity of L1210 cells overexpressing ALDH1 and induction of apoptosis in BAF_3 cells overexpressing bcl_2, 1279
Algae
Use of *Chlamydomonas reinhardtii* mutants for anticancer drug screening, 1125
ALIMTA
Effects of antifolates on the binding of 5-fluoro-2′-deoxyuridine monophosphate to thymidylate synthase, 669
Allergy
Role of mast cell chymase in allergen-induced biphasic skin reaction, 1187
All-*trans* retinoic acid
Retinoic acid binding properties of the lipocalin member β-lactoglobulin studied by circular dichroism, electronic absorption spectroscopy and molecular modeling methods, 1651
Alveolar epithelial cells
Oxidative stress, transcription factors and chromatin remodelling in lung inflammation, 935
Amino acids
Effects of *in vivo* treatment of rats with trimethyltin chloride on respiratory properties of rat liver mitochondria, 657
Aminooxyspermine
Insufficiently charged isosteric analogue of spermine: interaction with polyamine uptake, and effect on Caco-2 cell growth, 649
AMPA
Glutamate antagonists limit tumor growth, 1195
Amphotericin B
Cholesteryl ester transfer protein facilitates the movement of water-insoluble drugs between lipoproteins: a novel biological function for a well-characterized lipid transfer protein, 1669
Anandamide
Regulation of anandamide tissue levels by *N*-arachidonylglycine, 1147
Anesthetics
Effects of nitrosopropofol on mitochondrial energy-converting system, 1133
Angiogenesis
Identification of cytokine-induced nuclear factor-kappaB target genes in ovarian and breast cancer cells, 873
Angiotensin II
Sodium tanshinone IIA sulfonate derived from Danshen (*Salvia miltiorrhiza*) attenuates hypertrophy induced by angiotensin II in cultured neonatal rat cardiac cells, 745
Antagonist interaction with endogenous AT_1 receptors in human cell lines, 1207
Antagonist
Antagonist interaction with endogenous AT_1 receptors in human cell lines, 1207
Anti-apoptotic
Is HIF-1α a pro- or an anti-apoptotic protein?, 889
Antifolate
Effects of antifolates on the binding of 5-fluoro-2′-deoxyuridine monophosphate to thymidylate synthase, 669
Anti-inflammatory drugs
Anti-inflammatory drugs modulate C1q secretion in human peritoneal macrophages *in vitro*, 457
Antioxidant
Antioxidant properties of ursodeoxycholic acid, 1661
Antioxidant vitamins
Inhibition of phosphate transport in rat heart mitochondria by 3′-azido-3′-deoxythymidine due to stimulation of superoxide anion mitochondrial production, 201
Antioxidants
Antioxidants inhibit endothelin-1 (1–31)-induced proliferation of vascular smooth muscle cells via the inhibition of mitogen-activated protein (MAP) kinase and activator protein-1 (AP-1), 1521
Role of antioxidants in the *O*-hydroxyethyl-D-(Ser)^8-cyclosporine A (SDZ IMM125)-induced apoptosis in rat hepatocytes, 1725
Antiproliferative
Glutamate antagonists limit tumor growth, 1195
Anti-sense oligonucleotides
Quercetin, apoptosis, heat shock, 1591
Anti-trypanosomal drug
Cytotoxic and genotoxic effects of megazol, an anti-Chagas' disease drug, assessed by different short-term tests, 1617
Antitumor
Use of *Chlamydomonas reinhardtii* mutants for anticancer drug screening, 1125
Antitumor agents
A novel stereo-selective sulfonylurea, 1-[1-(4-aminobenzoyl)-2,3-dihydro-1*H*-indol-6-sulfonyl]-4-phenyl-imidazolidin-2-one, has antitumor efficacy in *in vitro* and *in vivo* tumor models, 473
Anxiolytic
Anxiolytic effect of wogonin, a benzodiazepine receptor ligand isolated from *Scutellaria baicalensis* Georgi, 1415
AP-1
Characterization of glomerular cell phenotypes following repeated cycles of benzo[*a*]pyrene injury *in vitro*, 31
AP2
Induction of cyclooxygenase-2 by staurosporine through the activation of nuclear factor for IL-6 (NF-IL6) and activator protein 2 (AP2) in an osteoblast-like cell line, 177
AP-1
Relationship between the activation of heat shock factor and the suppression of nuclear factor-κB activity in rat hepatocyte cultures treated with cyclosporine A, 247
Oxidative stress, transcription factors and chromatin remodelling in lung inflammation, 935
Function of AP-1 target genes in mesenchymal–epithelial cross-talk in skin, 949
Glutathione catabolism as a signaling mechanism, 1027
Apoptosis
Modulation of tamoxifen-induced apoptosis by peripheral benzodiazepine receptor ligands in breast cancer cells, 99
Cell culture model for acetaminophen-induced hepatocyte death *in vivo*, 413
Inhibition of mitochondrial permeability transition and release of cytochrome *c* by anti-apoptotic nucleoside analogues, 441
Analysis of oxidative processes and of myelin figures formation before and after the loss of mitochondrial transmembrane potential during 7β-hydroxycholesterol and 7-ketocholesterol-induced apoptosis: comparison with various pro-apoptotic chemicals, 527
Antioxidants and oxidants regulated signal transduction pathways, 765
Independent contribution of three different pathways to ultraviolet-B-induced apoptosis, 837
Prospects for targeting the Bcl-2 family of proteins to develop novel cytotoxic drugs, 851
Regulation of p53: intricate loops and delicate balances, 865
Is HIF-1α a pro- or an anti-apoptotic protein?, 889
Contribution of apoptosis in the cytotoxicity of the oxaliplatin–irinotecan combination in the HT29 human colon adenocarcinoma cell line, 1215
Novel competitive irreversible inhibitors of aldehyde dehydrogenase (ALDH1): restoration of chemosensitivity of L1210 cells overexpressing ALDH1 and induction of apoptosis in BAF_3 cells overexpressing bcl_2, 1279
Role of the Fas/Fas ligand system in female reproductive organs: survival and apoptosis, 1305
Pro-apoptotic actions of exisulind and CP461 in SW480 colon tumor cells involve β-catenin and cyclin D1 down-regulation, 1325
The antiproliferative activity of resveratrol results in apoptosis in MCF-7 but not in MDA-MB-231 human breast cancer cells: cell-specific alteration of the cell cycle, 1375

Differential effect of simvastatin on activation of Rac_1 vs. activation of the heat shock protein 27-mediated pathway upon oxidative stress, in human smooth muscle cells, 1483
Cellular energetics and glutathione status in NRK-52E cells: toxicological implications, 1533
Quercetin, apoptosis, heat shock, 1591
Carbazolequinone induction of caspase-dependent cell death in Src-overexpressing cells, 1605
Down-regulation of telomerase activity via protein phosphatase 2A activation in salvicine-induced human leukemia HL-60 cell apoptosis, 1677
Emodin induces apoptosis in human promyeloleukemic HL-60 cells accompanied by activation of caspase 3 cascade but independent of reactive oxygen species production, 1713
Role of antioxidants in the *O*-hydroxyethyl-D-$(Ser)^8$-cyclosporine A (SDZ IMM125)-induced apoptosis in rat hepatocytes, 1725

Ap_xAs
Inhibition by adenine dinucleotides of ATP-induced prostacyclin release by bovine aortic endothelial cells, 405

Aqueous extract
NMR and pattern recognition studies on liver extracts and intact livers from rats treated with α-naphthylisothiocyanate, 67

Ara-C
Trimidox, an inhibitor of ribonucleotide reductase, synergistically enhances the inhibition of colony formation by Ara-C in HL-60 human promyelocytic leukemia cells, 481

Arachidonic acid
Arachidonic acid release and prostaglandin $F_{2\alpha}$ formation induced by phenylarsine oxide in PC12 cells: possible involvement of secretory phospholipase A_2 activity, 117
Diverse functional coupling of cyclooxygenase 1 and 2 with final prostanoid synthases in liver macrophages, 1227

Arachidonic acid release
Endothelin-1-induced arachidonic acid release by cytosolic phospholipase A_2 activation in rat vascular smooth muscle via extracellular signal-regulated kinases pathway, 425

N-Arachidonylglycine
Regulation of anandamide tissue levels by *N*-arachidonylglycine, 1147

ARF
Regulation of p53: intricate loops and delicate balances, 865

Arginine
Indomethacin-induced mitochondrial dysfunction and oxidative stress in villus enterocytes, 339

ARNT
Analysis of rainbow trout Ah receptor protein isoforms in cell culture reveals conservation of function in Ah receptor-mediated signal transduction, 49

Aromatase
Expression and purification of a recombinant form of human aromatase from *Escherichia coli*, 1317

Aromatase inhibitors
Expression and purification of a recombinant form of human aromatase from *Escherichia coli*, 1317

Artemisinin
Membrane heme as a host factor in reducing effectiveness of dihydroartemisinin, 91

Aryl hydrocarbon receptor
Analysis of rainbow trout Ah receptor protein isoforms in cell culture reveals conservation of function in Ah receptor-mediated signal transduction, 49

Ascorbate free radicals
Paramagnetic species in the plasma of dogs with lymphoma prior to and after treatment with doxorubicin. An ESR study, 1737

Ascorbic acid
Enhancement of glutathione-dependent haemin degradation by ascorbic acid, 565

Asthma
Cysteinyl leukotriene receptors, 1549

Atherosclerosis
Reduction of bFGF-induced smooth muscle cell proliferation and endothelin receptor mRNA expression by mevastatin and atorvastatin, 497

Atopic dermatitis
Role of mast cell chymase in allergen-induced biphasic skin reaction, 1187

ATP hydrolysis
Modulation of P-glycoprotein expression and function by curcumin in multidrug-resistant human KB cells, 573

ATP synthesis
Effects of *in vivo* treatment of rats with trimethyltin chloride on respiratory properties of rat liver mitochondria, 657
Effects of nitrosopropofol on mitochondrial energy-converting system, 1133

ATP-dependent transport
Inhibition of transport across the hepatocyte canalicular membrane by the antibiotic fusidate, 151

Autophagic vacuoles
Analysis of oxidative processes and of myelin figures formation before and after the loss of mitochondrial transmembrane potential during 7β-hydroxycholesterol and 7-ketocholesterol-induced apoptosis: comparison with various pro-apoptotic chemicals, 527

Autophagy
Inhibition of mitochondrial permeability transition and release of cytochrome *c* by anti-apoptotic nucleoside analogues, 441

3′-Azido-3′-deoxythymidine
Inhibition of phosphate transport in rat heart mitochondria by 3′-azido-3′-deoxythymidine due to stimulation of superoxide anion mitochondrial production, 201

Azodicarbonamide
Ribonucleotide reductase and thymidine phosphorylation: two potential targets of azodicarbonamide, 451

AZT toxicity
Inhibition of phosphate transport in rat heart mitochondria by 3′-azido-3′-deoxythymidine due to stimulation of superoxide anion mitochondrial production, 201

Bacterial endotoxin
Down-regulation of phenobarbital-induced cytochrome P4502B mRNAs and proteins by endotoxin in mice: independence from nitric oxide production by inducible nitric oxide synthase, 1703

Baculovirus
Molecular cloning and characterization of mouse CYP2J6, an unstable cytochrome P450 isoform, 1447

Basic fibroblast growth factor
Reduction of bFGF-induced smooth muscle cell proliferation and endothelin receptor mRNA expression by mevastatin and atorvastatin, 497
Chemosensitization by fibroblast growth factor-2 is not dependent upon proliferation, S-phase accumulation, or p53 status, 1111

Bcl-2
Cell-specific regulation of apoptosis by glucocorticoids: implication to their anti-inflammatory action, 843
Prospects for targeting the Bcl-2 family of proteins to develop novel cytotoxic drugs, 851

bcl_2
Novel competitive irreversible inhibitors of aldehyde dehydrogenase (ALDH1): restoration of chemosensitivity of L1210 cells overexpressing ALDH1 and induction of apoptosis in BAF_3 cells overexpressing bcl_2, 1279

Benzodiazepine
Anxiolytic effect of wogonin, a benzodiazepine receptor ligand isolated from *Scutellaria baicalensis* Georgi, 1415

Benzo[*a*]pyrene
Characterization of glomerular cell phenotypes following repeated cycles of benzo[*a*]pyrene injury *in vitro*, 31

Benzphetamine
Molecular cloning and characterization of mouse CYP2J6, an unstable cytochrome P450 isoform, 1447

Beta catenin
Regulation of p53: intricate loops and delicate balances, 865
BH3
Prospects for targeting the Bcl-2 family of proteins to develop novel cytotoxic drugs, 851
Bile canaliculi
Influence of isolation procedure, extracellular matrix and dexamethasone on the regulation of membrane transporters gene expression in rat hepatocytes, 1637
Bile salt transport
Inhibition of transport across the hepatocyte canalicular membrane by the antibiotic fusidate, 151
Binding constant
Mechanism of action of non-cisplatin type DNA-targeted platinum anticancer agents: DNA interactions of novel acridinylthioureas and their platinum conjugates, 191
Bioluminescence Resonance Energy Transfer
A homogenous assay to monitor the activity of the insulin receptor using Bioluminescence Resonance Energy Transfer, 813
Biphasic reaction
Role of mast cell chymase in allergen-induced biphasic skin reaction, 1187
Bliverdin IX
Biliverdin IX is an endogenous inhibitor of soluble guanylyl cyclase, 109
Bothrops jararacussu
Structural and functional characterization of an acidic platelet aggregation inhibitor and hypotensive phospholipase A_2 from *Bothrops jararacussu* snake venom, 723
Bovine β-lactoglobulin
Retinoic acid binding properties of the lipocalin member β-lactoglobulin studied by circular dichroism, electronic absorption spectroscopy and molecular modeling methods, 1651
Bowel disease
GPI 6150, a PARP inhibitor, reduces the colon injury caused by dinitrobenzene sulfonic acid in the rat, 327
Brain injury
Brain mitochondrial uncoupling protein 2 (UCP2): a protective stress signal in neuronal injury, 363
Breast cancer
Modulation of tamoxifen-induced apoptosis by peripheral benzodiazepine receptor ligands in breast cancer cells, 99
Quantitation of estradiol receptors alpha and beta and progesterone receptors in human breast tumors by real-time reverse transcription-polymerase chain reaction. Correlation with protein assays, 507
Growth signaling in breast cancer cells: outcomes and promises of proteomics, 797
ErbB-2-induced mammary tumor growth: the role of cyclin D1 and p27Kip1, 827
Chemosensitization by fibroblast growth factor-2 is not dependent upon proliferation, S-phase accumulation, or p53 status, 1111
Breast cancer cells
The antiproliferative activity of resveratrol results in apoptosis in MCF-7 but not in MDA-MB-231 human breast cancer cells: cell-specific alteration of the cell cycle, 1375
BT-20
Modulation of tamoxifen-induced apoptosis by peripheral benzodiazepine receptor ligands in breast cancer cells, 99
Bufuralol
Complementary DNA cloning and characterization of cytochrome P450 2D29 from Japanese monkey liver, 1101
The molecular and enzyme kinetic basis for the diminished activity of the cytochrome P450 2D6.17 (CYP2D6.17) variant. Potential implications for CYP2D6 phenotyping studies and the clinical use of CYP2D6 substrate drugs in some African populations, 1387
Butyrate
Activation of the γ-glutamyltransferase promoter 2 in the rat colon carcinoma cell line CC531 by histone deacetylase inhibitors is mediated through the Sp1 binding motif, 307
Ca^{2+}
Role of antioxidants in the *O*-hydroxyethyl-D-$(Ser)^8$-cyclosporine A (SDZ IMM125)-induced apoptosis in rat hepatocytes, 1725
Ca^{2+} channels
Phorbol ester-induced contractility and Ca^{2+} influx in human cultured prostatic stromal cells, 385
Ca^{2+} mobilization
Inhibition by adenine dinucleotides of ATP-induced prostacyclin release by bovine aortic endothelial cells, 405
Ca^{2+} signal
Effector coupling of stably transfected human A_3 adenosine receptors in CHO cells, 61
Calcein-assay
Covalent binding of the anticancer drug ellipticine to DNA in V79 cells transfected with human cytochrome P450 enzymes, 289
Calcium
Identification of a signaling cascade for interleukin-8 production by *Helicobacter pylori* in human gastric epithelial cells, 21
Novel effect of carvedilol on Ca^{2+} movement in renal tubular cells, 1777
Calorie restriction
Age-related decline in cellular response to oxidative stress: links to growth factor signaling pathways with common defects, 999
CaMKIV
Cyclic AMP differentially modulates CD40L expression on human naïve and memory $CD4^+$ T cells, 1169
cAMP binding protein
Characterization of the cAMP binding site of purified *S*-adenosylhomocysteine hydrolase from bovine kidney, 1201
cAMP binding site
Characterization of the cAMP binding site of purified *S*-adenosylhomocysteine hydrolase from bovine kidney, 1201
Camptothecin
DNA structural alterations induced by bis-netropsins modulate human DNA topoisomerase I cleavage activity and poisoning by camptothecin, 79
Cancer
Prospects for targeting the Bcl-2 family of proteins to develop novel cytotoxic drugs, 851
Identification of cytokine-induced nuclear factor-kappaB target genes in ovarian and breast cancer cells, 873
Paramagnetic species in the plasma of dogs with lymphoma prior to and after treatment with doxorubicin. An ESR study, 1737
Inhibition of zinc finger protein–DNA interactions by sodium selenite, 1757
Cannabinoid receptor
Lack of correlation between NF-κB activation and induction of programmed cell death in PC12 pheochromocytoma cells treated with 6-hydroxydopamine or the cannabinoid receptor 1-agonist CP55,940, 487
Carbazolequinones
Carbazolequinone induction of caspase-dependent cell death in Src-overexpressing cells, 1605
Carbonyl reductase
Carbonyl reduction of the potential cytostatic drugs benfluron and 3,9-dimethoxybenfluron in human *in vitro*, 297
Cardiac collapse
Role of poly(ADP-ribose) polymerase activation in endotoxin-induced cardiac collapse in rodents, 1785
Cardiac function
Role of poly(ADP-ribose) polymerase activation in endotoxin-induced cardiac collapse in rodents, 1785
Cardiac hypertrophy
Sodium tanshinone IIA sulfonate derived from Danshen (*Salvia miltiorrhiza*) attenuates hypertrophy induced by angiotensin II in cultured neonatal rat cardiac cells, 745
Carvedilol
Novel effect of carvedilol on Ca^{2+} movement in renal tubular cells, 1777

Caspase
Carbazolequinone induction of caspase-dependent cell death in Src-overexpressing cells, 1605
Caspase 3
Emodin induces apoptosis in human promyeloleukemic HL-60 cells accompanied by activation of caspase 3 cascade but independent of reactive oxygen species production, 1713
Caspase-independent
Cell culture model for acetaminophen-induced hepatocyte death *in vivo*, 413
Caspases
Antioxidants and oxidants regulated signal transduction pathways, 765
Catalase
Novel mechanism of Vitamin E protection against cyclosporine A cytotoxicity in cultured rat hepatocytes, 267
Emodin induces apoptosis in human promyeloleukemic HL-60 cells accompanied by activation of caspase 3 cascade but independent of reactive oxygen species production, 1713
CD26
A kinetic study of glucagon-like peptide-1 and glucagon-like peptide-2 truncation by dipeptidyl peptidase IV, *in vitro*, 1753
$CD4^+$ T cells
Inflammatory signal transduction in Crohn's disease and novel therapeutic approaches, 789
CD40L
Cyclic AMP differentially modulates CD40L expression on human naïve and memory $CD4^+$ T cells, 1169
Cell culture
Analysis of rainbow trout Ah receptor protein isoforms in cell culture reveals conservation of function in Ah receptor-mediated signal transduction, 49
Cell cycle
Contribution of apoptosis in the cytotoxicity of the oxaliplatin–irinotecan combination in the HT29 human colon adenocarcinoma cell line, 1215
Cell cycle blockade
The antiproliferative activity of resveratrol results in apoptosis in MCF-7 but not in MDA-MB-231 human breast cancer cells: cell-specific alteration of the cell cycle, 1375
Cell differentiation
Potentiation of 1,25-dihydroxyvitamin D_3-induced differentiation of human promyelocytic leukemia cells into monocytes by costunolide, a germacranolide sesquiterpene lactone, 1233
Cell lines
Endogenous drug transporters in *in vitro* and *in vivo* models for the prediction of drug disposition in man, 1569
Cell signalling
Cell signalling and the glutathione redox system, 1057
Cell surface molecules
Cyclic AMP differentially modulates CD40L expression on human naïve and memory $CD4^+$ T cells, 1169
Cell trafficking
Fidelity and spatio-temporal control in MAP kinase (ERKs) signalling, 755
Cellular activation
Cyclic AMP differentially modulates CD40L expression on human naïve and memory $CD4^+$ T cells, 1169
Cellular energetics
Cellular energetics and glutathione status in NRK-52E cells: toxicological implications, 1533
Cellular resistance
3′-Azido-2′,3′-dideoxythymidine induced deficiency of thymidine kinases 1, 2 and deoxycytidine kinase in H9 T-lymphoid cells, 239
Central nervous system
Uncoupling protein 2 (UCP2) lowers alcohol sensitivity and pain threshold, 369
Cephaloridine
Enhancement of protein kinase C activity and chemiluminescence intensity in mitochondria isolated from the kidney cortex of rats treated with cephaloridine, 543
Ceruloplasmin
Paramagnetic species in the plasma of dogs with lymphoma prior to and after treatment with doxorubicin. An ESR study, 1737
c-Fos
Evasion from proteasomal degradation by mutated Fos proteins expressed from FBJ-MSV and FBR-MSV osteosarcomatogenic retroviruses, 957
cGMP
Modulation of L-arginine transport and nitric oxide production by gabexate mesylate, 277
Pro-apoptotic actions of exisulind and CP461 in SW480 colon tumor cells involve β-catenin and cyclin D1 down-regulation, 1325
cGMP-dependent protein kinase
Inhibition of platelet P2Y12 and α2A receptor signaling by cGMP-dependent protein kinase, 433
Chemiluminescence
Enhancement of protein kinase C activity and chemiluminescence intensity in mitochondria isolated from the kidney cortex of rats treated with cephaloridine, 543
Chemoprevention
Nuclear factor-kappa B and cancer: its role in prevention and therapy, 883
The antiproliferative activity of resveratrol results in apoptosis in MCF-7 but not in MDA-MB-231 human breast cancer cells: cell-specific alteration of the cell cycle, 1375
Chemoresistance
Novel competitive irreversible inhibitors of aldehyde dehydrogenase (ALDH1): restoration of chemosensitivity of L1210 cells overexpressing ALDH1 and induction of apoptosis in BAF_3 cells overexpressing bcl_2, 1279
Chemosensitizaion
Nuclear factor-kappa B and cancer: its role in prevention and therapy, 883
Chemosensitizers
Modulation of P-glycoprotein expression and function by curcumin in multidrug-resistant human KB cells, 573
Chemotherapeutic anticancer drugs
Cell-specific regulation of apoptosis by glucocorticoids: implication to their anti-inflammatory action, 843
Chemotherapy
Carbonyl reduction of the potential cytostatic drugs benfluron and 3,9-dimethoxybenfluron in human *in vitro*, 297
mRNA expression profiles for the response of human tumor cell lines to the antimalarial drugs artesunate, arteether, and artemether, 617
Chemosensitization by fibroblast growth factor-2 is not dependent upon proliferation, S-phase accumulation, or p53 status, 1111
Chimeric construction
Renal organic cation and nucleoside transport, 185
Chip
Influence of isolation procedure, extracellular matrix and dexamethasone on the regulation of membrane transporters gene expression in rat hepatocytes, 1637
Chlamydomonas
Use of *Chlamydomonas reinhardtii* mutants for anticancer drug screening, 1125
5-Chloro-2′-deoxycytidine
Analytical and pharmacokinetic studies with 5-chloro-2′-deoxycytidine, 1493
Chloroform/methanol extract
NMR and pattern recognition studies on liver extracts and intact livers from rats treated with α-naphthylisothiocyanate, 67
Chloroquine
Haem polymerase as a novel target of antimalarial action of cyproheptadine, 1399
Chlorzoxazone
Inhibition of cytochrome P450 2E1 by propofol in human and porcine liver microsomes, 1151

CHO cells
A physiological threshold for protection against menadione toxicity by human NAD(P)H:quinone oxidoreductase (NQO1) in Chinese hamster ovary (CHO) cells, 1597
Cholestasis
Inhibition of transport across the hepatocyte canalicular membrane by the antibiotic fusidate, 151
Cholesterol
Alterations in membrane-bound and cytoplasmic K-ras protein levels in mouse lung induced by treatment with lovastatin, cholestyramine, or niacin: effects are highly mouse strain dependent, 41
Cholesteryl ester transfer protein
Cholesteryl ester transfer protein facilitates the movement of water-insoluble drugs between lipoproteins: a novel biological function for a well-characterized lipid transfer protein, 1669
Cholestyramine
Alterations in membrane-bound and cytoplasmic K-ras protein levels in mouse lung induced by treatment with lovastatin, cholestyramine, or niacin: effects are highly mouse strain dependent, 41
Chromatin
Diversity of acetylation targets and roles in transcriptional regulation: the human immunodeficiency virus type 1 promoter as a model system, 925
Chymase
Role of mast cell chymase in allergen-induced biphasic skin reaction, 1187
Circular dichroism
Retinoic acid binding properties of the lipocalin member β-lactoglobulin studied by circular dichroism, electronic absorption spectroscopy and molecular modeling methods, 1651
Cisplatin
Chemosensitization by fibroblast growth factor-2 is not dependent upon proliferation, S-phase accumulation, or p53 status, 1111
Cisplatin resistance
Enhanced resistance of HeLa cells to cisplatin by overexpression of γ-glutamyltransferase, 207
c-*jun*
Characterization of glomerular cell phenotypes following repeated cycles of benzo[*a*]pyrene injury *in vitro*, 31
c-Jun
The c-Jun N-terminal kinases in cerebral microglia: immunological functions in the brain, 781
c-Jun N-terminal kinases
The c-Jun N-terminal kinases in cerebral microglia: immunological functions in the brain, 781
Clofibrate
Effects of *in vivo* treatment of rats with trimethyltin chloride on respiratory properties of rat liver mitochondria, 657
Cloning
Cysteinyl leukotriene receptors, 1549
Clostridial toxin
Reduction of tumor necrosis factor-alpha (TNF-α) related nuclear factor-kappaB (NF-κB) translocation but not inhibitor kappa-B (Iκ-B)-degradation by Rho protein inhibition in human endothelial cells, 971
Cold preservation
Role of temperature on protein and mRNA cytochrome P450 3A (CYP3A) isozymes expression and midazolam oxidation by cultured rat precision-cut liver slices, 633
Collagen metabolism
Effect of free iron on collagen synthesis, cell proliferation and MMP-2 expression in rat hepatic stellate cells, 1139
Colon cancer
The activity profile of the hexacyclic camptothecin derivative DX-8951f in experimental human colon cancer and ovarian cancer, 1267
Pro-apoptotic actions of exisulind and CP461 in SW480 colon tumor cells involve β-catenin and cyclin D1 down-regulation, 1325
Combination chemotherapy
Trimidox, an inhibitor of ribonucleotide reductase, synergistically enhances the inhibition of colony formation by Ara-C in HL-60 human promyelocytic leukemia cells, 481
Comet assay
Cytotoxic and genotoxic effects of megazol, an anti-Chagas' disease drug, assessed by different short-term tests, 1617
Complement
In vivo anti-complement effect of bilirubin-IXα, 741
Complement system
Anti-inflammatory drugs modulate C1q secretion in human peritoneal macrophages *in vitro*, 457
Compound 48/80
Inhibition of heparin synthesis by methotrexate in rats *in vivo*, 169
Constitutive activity
Similarities and differences in the coupling of human β_1- and β_2-adrenoceptors to Gsα splice variants, 9
Coregulator
Differential activity by DNA-induced quarternary structures of POU transcription factors, 979
Costunolide
Potentiation of 1,25-dihydroxyvitamin D_3-induced differentiation of human promyelocytic leukemia cells into monocytes by costunolide, a germacranolide sesquiterpene lactone, 1233
(−)-Cotinine
Effects of (−)-nicotine and (−)-cotinine on 6-hydroxydopamine-induced oxidative stress and neurotoxicity: relevance for Parkinson's disease, 125
C1q
Anti-inflammatory drugs modulate C1q secretion in human peritoneal macrophages *in vitro*, 457
Crohn's disease
Inflammatory signal transduction in Crohn's disease and novel therapeutic approaches, 789
Crystal structure
Divalent cations and the relationship between αA and βA domains in integrins, 805
CsA
Relationship between the activation of heat shock factor and the suppression of nuclear factor-κB activity in rat hepatocyte cultures treated with cyclosporine A, 247
Novel mechanism of Vitamin E protection against cyclosporine A cytotoxicity in cultured rat hepatocytes, 267
Curcumin
Modulation of P-glycoprotein expression and function by curcumin in multidrug-resistant human KB cells, 573
CuZnSOD
Novel mechanism of Vitamin E protection against cyclosporine A cytotoxicity in cultured rat hepatocytes, 267
Cyclic AMP
Agents that elevate cyclic AMP induce receptor phosphorylation primarily at serine 331 in HEK 293 cells overexpressing human thromboxane receptor α, 375
Cyclin
SU9516, a cyclin-dependent kinase 2 inhibitor, promotes accumulation of high molecular weight E2F complexes in human colon carcinoma cells, 1091
Cyclin D1
ErbB-2-induced mammary tumor growth: the role of cyclin D1 and p27Kip1, 827
Pro-apoptotic actions of exisulind and CP461 in SW480 colon tumor cells involve β-catenin and cyclin D1 down-regulation, 1325
Cyclin-dependent kinase
SU9516, a cyclin-dependent kinase 2 inhibitor, promotes accumulation of high molecular weight E2F complexes in human colon carcinoma cells, 1091
Cyclin-dependent kinase inhibitor
SU9516, a cyclin-dependent kinase 2 inhibitor, promotes accumulation of high molecular weight E2F complexes in human colon carcinoma cells, 1091
Cyclin-dependent kinases (CDKs)
Identifying *in vivo* targets of cyclin-dependent kinase inhibitors by affinity chromatography, 819

Cyclooxygenase-2
Induction of cyclooxygenase-2 by staurosporine through the activation of nuclear factor for IL-6 (NF-IL6) and activator protein 2 (AP2) in an osteoblast-like cell line, 177
Cyclooxygenase
Contribution of different phospholipases and arachidonic acid metabolites in the response of gallbladder smooth muscle to cholecystokinin, 1157
Diverse functional coupling of cyclooxygenase 1 and 2 with final prostanoid synthases in liver macrophages, 1227
Hyperforin is a dual inhibitor of cyclooxygenase-1 and 5-lipoxygenase, 1767
Cyclooxygenase activity
Inhibition of prostaglandin E_2 production by taiwanin C isolated from the root of *Acanthopanax chiisanensis* and the mechanism of action, 1345
Cyclosporine A
Cholesteryl ester transfer protein facilitates the movement of water-insoluble drugs between lipoproteins: a novel biological function for a well-characterized lipid transfer protein, 1669
Role of antioxidants in the *O*-hydroxyethyl-D-(Ser)^8-cyclosporine A (SDZ IMM125)-induced apoptosis in rat hepatocytes, 1725
CYP activities
Modulations of P450 mRNA in liver and mammary gland and P450 activities and metabolism of estrogen in liver by treatment of rats with indole-3-carbinol, 393
CYP3A
Role of temperature on protein and mRNA cytochrome P450 3A (CYP3A) isozymes expression and midazolam oxidation by cultured rat precision-cut liver slices, 633
CYP1A1 induction
Activation of mitogen-activated protein kinases (MAPKs) by aromatic hydrocarbons: role in the regulation of aryl hydrocarbon receptor (AHR) function, 771
CYP2B and CYP3A inducer
Gene expression profiling of drug metabolism and toxicology markers using a low-density DNA microarray, 137
CYP2C8
CYP2C8 polymorphisms in Caucasians and their relationship with paclitaxel 6α-hydroxylase activity in human liver microsomes, 1579
CYP2D29
Complementary DNA cloning and characterization of cytochrome P450 2D29 from Japanese monkey liver, 1101
CYP2D6
Complementary DNA cloning and characterization of cytochrome P450 2D29 from Japanese monkey liver, 1101
*CYP2D6*17*
The molecular and enzyme kinetic basis for the diminished activity of the cytochrome P450 2D6.17 (CYP2D6.17) variant. Potential implications for CYP2D6 phenotyping studies and the clinical use of CYP2D6 substrate drugs in some African populations, 1387
Cyproheptadine
Haem polymerase as a novel target of antimalarial action of cyproheptadine, 1399
Cysteinyl leukotriene
Cysteinyl leukotriene receptors, 1549
Cytarabine
3′-Azido-2′,3′-dideoxythymidine induced deficiency of thymidine kinases 1, 2 and deoxycytidine kinase in H9 T-lymphoid cells, 239
Cytidine deaminase
Analytical and pharmacokinetic studies with 5-chloro-2′-deoxycytidine, 1493
Cytochrome *c* release
Inhibition of mitochondrial permeability transition and release of cytochrome *c* by anti-apoptotic nucleoside analogues, 441
Cytochrome P450
Molecular cloning and characterization of mouse CYP2J6, an unstable cytochrome P450 isoform, 1447
CYP2C8 polymorphisms in Caucasians and their relationship with paclitaxel 6α-hydroxylase activity in human liver microsomes, 1579
Down-regulation of phenobarbital-induced cytochrome P4502B mRNAs and proteins by endotoxin in mice: independence from nitric oxide production by inducible nitric oxide synthase, 1703
Cytochrome P450 2D6
The molecular and enzyme kinetic basis for the diminished activity of the cytochrome P450 2D6.17 (CYP2D6.17) variant. Potential implications for CYP2D6 phenotyping studies and the clinical use of CYP2D6 substrate drugs in some African populations, 1387
Cytochrome P450 2E1
Inhibition of cytochrome P450 2E1 by propofol in human and porcine liver microsomes, 1151
Cytochrome P450 expression and purification
Expression and purification of a recombinant form of human aromatase from *Escherichia coli*, 1317
Cytochromes P450
PXR-dependent induction of human *CYP3A4* gene expression by organochlorine pesticides, 1513
Cytosine arabinoside
Inhibition of mitochondrial permeability transition and release of cytochrome *c* by anti-apoptotic nucleoside analogues, 441
Cytosolic PLA_2
Endothelin-1-induced arachidonic acid release by cytosolic phospholipase A_2 activation in rat vascular smooth muscle via extracellular signal-regulated kinases pathway, 425
Cytostatic
Glutamate antagonists limit tumor growth, 1195
Cytotoxicity
Cytotoxicity of dopamine-derived tetrahydroisoquinolines on melanoma cells, 1503
A physiological threshold for protection against menadione toxicity by human NAD(P)H:quinone oxidoreductase (NQO1) in Chinese hamster ovary (CHO) cells, 1597
Carbazolequinone induction of caspase-dependent cell death in Src-overexpressing cells, 1605

DAMGO
Identification of two C-terminal amino acids, Ser^{355} and Thr^{357}, required for short-term homologous desensitization of μ-opioid receptors, 257
Deacetylases
Oxidative stress, transcription factors and chromatin remodelling in lung inflammation, 935
Death receptor activation
Independent contribution of three different pathways to ultraviolet-B-induced apoptosis, 837
Debrisoquine
Complementary DNA cloning and characterization of cytochrome P450 2D29 from Japanese monkey liver, 1101
The molecular and enzyme kinetic basis for the diminished activity of the cytochrome P450 2D6.17 (CYP2D6.17) variant. Potential implications for CYP2D6 phenotyping studies and the clinical use of CYP2D6 substrate drugs in some African populations, 1387
Decoy
Cationic liposomes as delivery systems for double-stranded PNA–DNA chimeras exhibiting decoy activity against NF-κB transcription factors, 609
Delivery
Cationic liposomes as delivery systems for double-stranded PNA–DNA chimeras exhibiting decoy activity against NF-κB transcription factors, 609
Deoxycytidine kinase
3′-Azido-2′,3′-dideoxythymidine induced deficiency of thymidine kinases 1, 2 and deoxycytidine kinase in H9 T-lymphoid cells, 239
Identification of residues involved in the substrate specificity of human and murine dCK, 1559

2-Deoxy-D-glucose
Hypoxia increases tumor cell sensitivity to glycolytic inhibitors: a strategy for solid tumor therapy (Model C), 1745
Deoxytubercidin
Renal organic cation and nucleoside transport, 185
Desensitization
Agents that elevate cyclic AMP induce receptor phosphorylation primarily at serine 331 in HEK 293 cells overexpressing human thromboxane receptor α, 375
Dexamethasone
Cell-specific regulation of apoptosis by glucocorticoids: implication to their anti-inflammatory action, 843
Dextromethorphan
The molecular and enzyme kinetic basis for the diminished activity of the cytochrome P450 2D6.17 (CYP2D6.17) variant. Potential implications for CYP2D6 phenotyping studies and the clinical use of CYP2D6 substrate drugs in some African populations, 1387
2DGE
Stress-induced premature senescence and replicative senescence are different phenotypes, proteomic evidence, 1011
Diabetes
A homogenous assay to monitor the activity of the insulin receptor using Bioluminescence Resonance Energy Transfer, 813
S-(1,2-Dichlorovinyl)-L-cysteine
Toxic, halogenated cysteine *S*-conjugates and targeting of mitochondrial enzymes of energy metabolism, 553
Cellular energetics and glutathione status in NRK-52E cells: toxicological implications, 1533
Dicoumarol
A physiological threshold for protection against menadione toxicity by human NAD(P)H:quinone oxidoreductase (NQO1) in Chinese hamster ovary (CHO) cells, 1597
Differential expression
Identification of cytokine-induced nuclear factor-kappaB target genes in ovarian and breast cancer cells, 873
Differential function
Differential activity by DNA-induced quarternary structures of POU transcription factors, 979
Differentiation
Function of AP-1 target genes in mesenchymal–epithelial cross-talk in skin, 949
1,25-Dihydroxyvitamin D_3
Potentiation of 1,25-dihydroxyvitamin D_3-induced differentiation of human promyelocytic leukemia cells into monocytes by costunolide, a germacranolide sesquiterpene lactone, 1233
Dimethyl sulfoxide
Synergistic effect of dimethyl sulfoxide on glucagon-like peptide 1 (GLP-1)-stimulated insulin secretion and gene transcription in INS-1 cells: characterization and implications, 689
Enhanced activity of human *N*-myristoyltransferase by dimethyl sulfoxide and related solvents in the presence of serine/threonine-containing peptide substrates, 1461
Dioxin
Activation of mitogen-activated protein kinases (MAPKs) by aromatic hydrocarbons: role in the regulation of aryl hydrocarbon receptor (AHR) function, 771
Dipeptidyl peptidase IV
A kinetic study of glucagon-like peptide-1 and glucagon-like peptide-2 truncation by dipeptidyl peptidase IV, *in vitro*, 1753
Disulfide bridge reduction
Thioredoxins and related proteins in photosynthetic organisms: molecular basis for thiol dependent regulation, 1065
αvβ3
Divalent cations and the relationship between αA and βA domains in integrins, 805
DNA cleavage
DNA structural alterations induced by bis-netropsins modulate human DNA topoisomerase I cleavage activity and poisoning by camptothecin, 79
DNA damage
Independent contribution of three different pathways to ultraviolet-B-induced apoptosis, 837
Cytotoxic and genotoxic effects of megazol, an anti-Chagas' disease drug, assessed by different short-term tests, 1617
DNA gyrase
Use of *Chlamydomonas reinhardtii* mutants for anticancer drug screening, 1125
DNA repair
Expression and activity of the DNA repair enzyme uracil DNA glycosylase during organogenesis in the rat conceptus and following methotrexate exposure *in vitro*, 711
DNA topoisomerases
Use of *Chlamydomonas reinhardtii* mutants for anticancer drug screening, 1125
Dopamine release
Biphasic effects of oxethazaine, a topical anesthetic, on the intracellular Ca^{2+} concentration of PC12 cells, 677
Dopaminergic neurotoxicity
Effects of (−)-nicotine and (−)-cotinine on 6-hydroxydopamine-induced oxidative stress and neurotoxicity: relevance for Parkinson's disease, 125
Doxorubicin
Paramagnetic species in the plasma of dogs with lymphoma prior to and after treatment with doxorubicin. An ESR study, 1737
Drug design
Prospects for targeting the Bcl-2 family of proteins to develop novel cytotoxic drugs, 851
Drug disposition
Endogenous drug transporters in *in vitro* and *in vivo* models for the prediction of drug disposition in man, 1569
Drug metabolism
Gene expression profiling of drug metabolism and toxicology markers using a low-density DNA microarray, 137
Drug movement and lipoproteins
Cholesteryl ester transfer protein facilitates the movement of water-insoluble drugs between lipoproteins: a novel biological function for a well-characterized lipid transfer protein, 1669
Drug resistance
Carbonyl reduction of the potential cytostatic drugs benfluron and 3,9-dimethoxybenfluron in human *in vitro*, 297
Drug screening assays
Use of *Chlamydomonas reinhardtii* mutants for anticancer drug screening, 1125
DX-8951f
The activity profile of the hexacyclic camptothecin derivative DX-8951f in experimental human colon cancer and ovarian cancer, 1267

E. coli expression
Expression and purification of a recombinant form of human aromatase from *Escherichia coli*, 1317
Edema
Biochemical and biological properties of phospholipases A_2 from *Bothrops atrox* snake venom, 1179
E2F
SU9516, a cyclin-dependent kinase 2 inhibitor, promotes accumulation of high molecular weight E2F complexes in human colon carcinoma cells, 1091
Efficacy
Modulation of agonist responses at the A_1 adenosine receptor by an irreversible antagonist, receptor–G protein uncoupling and by the G protein activation state, 1251
Electron spin resonance
Paramagnetic species in the plasma of dogs with lymphoma prior to and after treatment with doxorubicin. An ESR study, 1737
Emodin
Emodin induces apoptosis in human promyeloleukemic HL-60 cells accompanied by activation of caspase 3 cascade but independent of reactive oxygen species production, 1713

Endothelial cells
Inhibition by adenine dinucleotides of ATP-induced prostacyclin release by bovine aortic endothelial cells, 405
Endothelial factors
Inhibition of platelet P2Y12 and α2A receptor signaling by cGMP-dependent protein kinase, 433
Endothelin-1
Endothelin-1-induced arachidonic acid release by cytosolic phospholipase A_2 activation in rat vascular smooth muscle via extracellular signal-regulated kinases pathway, 425
Endothelin-1 (1–31)
Antioxidants inhibit endothelin-1 (1–31)-induced proliferation of vascular smooth muscle cells via the inhibition of mitogen-activated protein (MAP) kinase and activator protein-1 (AP-1), 1521
Endothelin-receptors
Reduction of bFGF-induced smooth muscle cell proliferation and endothelin receptor mRNA expression by mevastatin and atorvastatin, 497
Endothelium
Reduction of tumor necrosis factor-alpha (TNF-α) related nuclear factor-kappaB (NF-κB) translocation but not inhibitor kappa-B (Iκ-B)-degradation by Rho protein inhibition in human endothelial cells, 971
Endotoxin
Role of poly(ADP-ribose) polymerase activation in endotoxin-induced cardiac collapse in rodents, 1785
Enterocytes
Indomethacin-induced mitochondrial dysfunction and oxidative stress in villus enterocytes, 339
Enzyme kinetics
Substrate-dependent, non-hyperbolic kinetics of pig brain prolyl oligopeptidase and its tight binding inhibition by JTP-4819, 463
EOR
Endoplasmic reticulum (ER) stress: hepatitis C virus induces an ER-nucleus signal transduction pathway and activates NF-κB and STAT-3, 1425
Epithelial cells
Molecular cloning and characterization of mouse CYP2J6, an unstable cytochrome P450 isoform, 1447
Equilibrium binding
Differential binding to the α/β-tubulin dimer of vinorelbine and vinflunine revealed by nuclear magnetic resonance analyses, 733
ERα and β
Quantitation of estradiol receptors alpha and beta and progesterone receptors in human breast tumors by real-time reverse transcription-polymerase chain reaction. Correlation with protein assays, 507
ER stress
Endoplasmic reticulum (ER) stress: hepatitis C virus induces an ER-nucleus signal transduction pathway and activates NF-κB and STAT-3, 1425
Erythrocyte
Enhancement of glutathione-dependent haemin degradation by ascorbic acid, 565
Estrogen
Role of the Fas/Fas ligand system in female reproductive organs: survival and apoptosis, 1305
Estrogen metabolism
Modulations of P450 mRNA in liver and mammary gland and P450 activities and metabolism of estrogen in liver by treatment of rats with indole-3-carbinol, 393
Estrogen synthetase
Expression and purification of a recombinant form of human aromatase from *Escherichia coli*, 1317
Ethanol tolerance
Uncoupling protein 2 (UCP2) lowers alcohol sensitivity and pain threshold, 369
Experimental colitis
Interleukin-1β converting enzyme (caspase-1) in intestinal inflammation, 1
Expression
Cysteinyl leukotriene receptors, 1549
Expression profile
Comparative analysis of human and rat $S1P_5$ (edg8): differential expression profiles and sensitivities to antagonists, 1243
Expression profiling
Endogenous drug transporters in *in vitro* and *in vivo* models for the prediction of drug disposition in man, 1569
Extracellular matrix
Influence of isolation procedure, extracellular matrix and dexamethasone on the regulation of membrane transporters gene expression in rat hepatocytes, 1637
Extracellular signal-regulated kinase
Identification of a signaling cascade for interleukin-8 production by *Helicobacter pylori* in human gastric epithelial cells, 21
Potentiation of 1,25-dihydroxyvitamin D_3-induced differentiation of human promyelocytic leukemia cells into monocytes by costunolide, a germacranolide sesquiterpene lactone, 1233
Extracellular signal-regulated kinases
Endothelin-1-induced arachidonic acid release by cytosolic phospholipase A_2 activation in rat vascular smooth muscle via extracellular signal-regulated kinases pathway, 425

Familial adenomatous polyposis
Pro-apoptotic actions of exisulind and CP461 in SW480 colon tumor cells involve β-catenin and cyclin D1 down-regulation, 1325
Fas
Role of the Fas/Fas ligand system in female reproductive organs: survival and apoptosis, 1305
Fas ligand
Role of the Fas/Fas ligand system in female reproductive organs: survival and apoptosis, 1305
Fatty acid
Is there a single mechanism for fatty acid regulation of gene transcription?, 893
FdUMP binding
Effects of antifolates on the binding of 5-fluoro-2′-deoxyuridine monophosphate to thymidylate synthase, 669
Fibroblasts
Function of AP-1 target genes in mesenchymal–epithelial cross-talk in skin, 949
Stress-induced premature senescence and replicative senescence are different phenotypes, proteomic evidence, 1011
FK228
Effects of FK228, a novel histone deacetylase inhibitor, on human lymphoma U-937 cells *in vitro* and *in vivo*, 1079
Flavonoid
Anxiolytic effect of wogonin, a benzodiazepine receptor ligand isolated from *Scutellaria baicalensis* Georgi, 1415
5-Fluorouracil
5-Fluorouracil inhibits nitric oxide production through the inactivation of IκB kinase in stomach cancer cells, 1439
Fos
Function of AP-1 target genes in mesenchymal–epithelial cross-talk in skin, 949
Free fatty acids
Synergistic effects of troglitazone and oleate on the translatability of preproinsulin mRNA from INS-1 cells, 1629
Free radicals
GPI 6150, a PARP inhibitor, reduces the colon injury caused by dinitrobenzene sulfonic acid in the rat, 327
Function
Cysteinyl leukotriene receptors, 1549
Functional genomics
Designed transcription factors as tools for therapeutics and functional genomics, 919
Fura-2
Novel effect of carvedilol on Ca^{2+} movement in renal tubular cells, 1777

Fusidate
Inhibition of transport across the hepatocyte canalicular membrane by the antibiotic fusidate, 151
Fusion protein
Similarities and differences in the coupling of human β_1- and β_2-adrenoceptors to Gsα splice variants, 9
Fusion proteins
Distinct interactions of $G_{s\alpha\text{-long}}$, $G_{s\alpha\text{-short}}$, and $G_{\alpha olf}$ with GTP, ITP, and XTP, 583

G protein-coupled receptor
G protein-coupled receptor for nicotinic acid in mouse macrophages, 645
$GABA_A$ receptor
Anxiolytic effect of wogonin, a benzodiazepine receptor ligand isolated from *Scutellaria baicalensis* Georgi, 1415
Gabexate mesylate
Modulation of L-arginine transport and nitric oxide production by gabexate mesylate, 277
Gastrointestinal tract
Molecular cloning and characterization of mouse CYP2J6, an unstable cytochrome P450 isoform, 1447
Gelatinases
Inhibition of matrix-proteases by polyphenols: chemical insights for anti-inflammatory and anti-invasion drug design, 229
Gemcitabine
3′-Azido-2′,3′-dideoxythymidine induced deficiency of thymidine kinases 1, 2 and deoxycytidine kinase in H9 T-lymphoid cells, 239
Gene
Is there a single mechanism for fatty acid regulation of gene transcription?, 893
Gene expression
Antioxidants and oxidants regulated signal transduction pathways, 765
PXR-dependent induction of human *CYP3A4* gene expression by organochlorine pesticides, 1513
Gene regulation
Analysis of rainbow trout Ah receptor protein isoforms in cell culture reveals conservation of function in Ah receptor-mediated signal transduction, 49
Regulation of the transcriptional activity of the nuclear factor-κB p65 subunit, 963
Genotype–phenotype correlation analysis
Human histamine *N*-methyltransferase pharmacogenetics: gene resequencing, promoter characterization, and functional studies of a common 5′-flanking region single nucleotide polymorphism (SNP), 699
Glitazones
Synergistic effects of troglitazone and oleate on the translatability of preproinsulin mRNA from INS-1 cells, 1629
Glomerular cell phenotypes
Characterization of glomerular cell phenotypes following repeated cycles of benzo[*a*]pyrene injury *in vitro*, 31
GLP-1
Synergistic effect of dimethyl sulfoxide on glucagon-like peptide 1 (GLP-1)-stimulated insulin secretion and gene transcription in INS-1 cells: characterization and implications, 689
A kinetic study of glucagon-like peptide-1 and glucagon-like peptide-2 truncation by dipeptidyl peptidase IV, *in vitro*, 1753
GLP-2
A kinetic study of glucagon-like peptide-1 and glucagon-like peptide-2 truncation by dipeptidyl peptidase IV, *in vitro*, 1753
Glucagon-like peptide 1
Synergistic effect of dimethyl sulfoxide on glucagon-like peptide 1 (GLP-1)-stimulated insulin secretion and gene transcription in INS-1 cells: characterization and implications, 689
Glucagon-like peptides
A kinetic study of glucagon-like peptide-1 and glucagon-like peptide-2 truncation by dipeptidyl peptidase IV, *in vitro*, 1753
Glucocorticoids
Effects of polysulfated glycosaminoglycan and triamcinolone acetonid on the production of proteinases and their inhibitors by IL-1α treated articular chondrocytes, 217
Glucose
Signaling cross-talk between hypoxia and glucose via hypoxia-inducible factor 1 and glucose response elements, 903
Glutamate
Evidence for the presence of glutamatergic receptors in adult *Schistosoma mansoni*, 1337
Glutamate cysteine ligase
Cellular glutathione and thiols metabolism, 1019
γ-Glutamyltransferase
Enhanced resistance of HeLa cells to cisplatin by overexpression of γ-glutamyltransferase, 207
Activation of the γ-glutamyltransferase promoter 2 in the rat colon carcinoma cell line CC531 by histone deacetylase inhibitors is mediated through the Sp1 binding motif, 307
Glutathione catabolism as a signaling mechanism, 1027
Glutathione
Activation of the γ-glutamyltransferase promoter 2 in the rat colon carcinoma cell line CC531 by histone deacetylase inhibitors is mediated through the Sp1 binding motif, 307
Enhancement of glutathione-dependent haemin degradation by ascorbic acid, 565
Glutathione catabolism as a signaling mechanism, 1027
Glutathione, iron and Parkinson's disease, 1037
Cell signalling and the glutathione redox system, 1057
Cellular energetics and glutathione status in NRK-52E cells: toxicological implications, 1533
Glutathione disulfide S-oxide (glutathione thiosulfinate)
Glutathionylation of proteins by glutathione disulfide S-oxide, 1049
Glutathione synthetase
Cellular glutathione and thiols metabolism, 1019
Glutathione-*S*-thiolation
Cell signalling and the glutathione redox system, 1057
Glutathionylation
Glutathionylation of proteins by glutathione disulfide S-oxide, 1049
Glycolysis
Hypoxia increases tumor cell sensitivity to glycolytic inhibitors: a strategy for solid tumor therapy (Model C), 1745
GPCR
Cysteinyl leukotriene receptors, 1549
GPI 6150
GPI 6150, a PARP inhibitor, reduces the colon injury caused by dinitrobenzene sulfonic acid in the rat, 327
Growth factor
Growth signaling in breast cancer cells: outcomes and promises of proteomics, 797
Signal transduction to hypoxia-inducible factor 1, 993
Growth factor signaling
Age-related decline in cellular response to oxidative stress: links to growth factor signaling pathways with common defects, 999
Gsα splice variants
Similarities and differences in the coupling of human β_1- and β_2-adrenoceptors to Gsα splice variants, 9
GSH
Oxidative stress, transcription factors and chromatin remodelling in lung inflammation, 935
GSH catabolism
Enhanced resistance of HeLa cells to cisplatin by overexpression of γ-glutamyltransferase, 207
G_s-proteins
Distinct interactions of $G_{s\alpha\text{-long}}$, $G_{s\alpha\text{-short}}$, and $G_{\alpha olf}$ with GTP, ITP, and XTP, 583
GTPγS
G protein-coupled receptor for nicotinic acid in mouse macrophages, 645

H. pylori
Identification of a signaling cascade for interleukin-8 production by *Helicobacter pylori* in human gastric epithelial cells, 21
Haem polymerase
Haem polymerase as a novel target of antimalarial action of cyproheptadine, 1399
Haemin degradation
Enhancement of glutathione-dependent haemin degradation by ascorbic acid, 565
Haemozoin
Haem polymerase as a novel target of antimalarial action of cyproheptadine, 1399
Han–Wistar rat
NMR and pattern recognition studies on liver extracts and intact livers from rats treated with α-naphthylisothiocyanate, 67
Haplo-insufficiency
ErbB-2-induced mammary tumor growth: the role of cyclin D1 and p27Kip1, 827
HCV
Endoplasmic reticulum (ER) stress: hepatitis C virus induces an ER-nucleus signal transduction pathway and activates NF-κB and STAT-3, 1425
HEK 293 cells
Identification of two C-terminal amino acids, Ser^{355} and Thr^{357}, required for short-term homologous desensitization of μ-opioid receptors, 257
Heme
Membrane heme as a host factor in reducing effectiveness of dihydroartemisinin, 91
Heme oxygenase
Biliverdin IX is an endogenous inhibitor of soluble guanylyl cyclase, 109
Hemoglobinuria
In vivo anti-complement effect of bilirubin-IXα, 741
Heparin synthesis
Inhibition of heparin synthesis by methotrexate in rats *in vivo*, 169
Hepatic stellate cells
Effect of free iron on collagen synthesis, cell proliferation and MMP-2 expression in rat hepatic stellate cells, 1139
Heterologous receptor regulation
Up-regulation of A_{2A} adenosine receptors by proinflammatory cytokines in rat PC12 cells, 625
Hierarchical cluster analysis
mRNA expression profiles for the response of human tumor cell lines to the antimalarial drugs artesunate, arteether, and artemether, 617
HIF-1α
Is HIF-1α a pro- or an anti-apoptotic protein?, 889
HIF-1
Signaling cross-talk between hypoxia and glucose via hypoxia-inducible factor 1 and glucose response elements, 903
High-throughput screening
A homogenous assay to monitor the activity of the insulin receptor using Bioluminescence Resonance Energy Transfer, 813
Hippocampus
Brain mitochondrial uncoupling protein 2 (UCP2): a protective stress signal in neuronal injury, 363
Histamine
Human histamine *N*-methyltransferase pharmacogenetics: gene resequencing, promoter characterization, and functional studies of a common 5′-flanking region single nucleotide polymorphism (SNP), 699
Histamine *N*-methyltransferase
Human histamine *N*-methyltransferase pharmacogenetics: gene resequencing, promoter characterization, and functional studies of a common 5′-flanking region single nucleotide polymorphism (SNP), 699
Histone acetylation
Oxidative stress, transcription factors and chromatin remodelling in lung inflammation, 935
Histone deacetylase inhibitor
Activation of the γ-glutamyltransferase promoter 2 in the rat colon carcinoma cell line CC531 by histone deacetylase inhibitors is mediated through the Sp1 binding motif, 307
Effects of FK228, a novel histone deacetylase inhibitor, on human lymphoma U-937 cells *in vitro* and *in vivo*, 1079
Histone modification
Regulation of the transcriptional activity of the nuclear factor-κB p65 subunit, 963
HIV-1
Diversity of acetylation targets and roles in transcriptional regulation: the human immunodeficiency virus type 1 promoter as a model system, 925
HL-60
Trimidox, an inhibitor of ribonucleotide reductase, synergistically enhances the inhibition of colony formation by Ara-C in HL-60 human promyelocytic leukemia cells, 481
HMC-1
Induction of interleukin 8 release from the HMC-1 mast cell line: Synergy between stem cell factor and activators of the adenosine A_{2b} receptor, 317
h*MDR*1 gene
Transcriptional regulators of the human multidrug resistance 1 gene: recent views, 943
HNMT
Human histamine *N*-methyltransferase pharmacogenetics: gene resequencing, promoter characterization, and functional studies of a common 5′-flanking region single nucleotide polymorphism (SNP), 699
Homologous desensitization
Identification of two C-terminal amino acids, Ser^{355} and Thr^{357}, required for short-term homologous desensitization of μ-opioid receptors, 257
Hormone receptors
Quantitation of estradiol receptors alpha and beta and progesterone receptors in human breast tumors by real-time reverse transcription-polymerase chain reaction. Correlation with protein assays, 507
HSF1
Relationship between the activation of heat shock factor and the suppression of nuclear factor-κB activity in rat hepatocyte cultures treated with cyclosporine A, 247
HSP70
Relationship between the activation of heat shock factor and the suppression of nuclear factor-κB activity in rat hepatocyte cultures treated with cyclosporine A, 247
HSP27
Differential effect of simvastatin on activation of Rac_1 vs. activation of the heat shock protein 27-mediated pathway upon oxidative stress, in human smooth muscle cells, 1483
Hsp27
Quercetin, apoptosis, heat shock, 1591
Hsp72
Quercetin, apoptosis, heat shock, 1591
Human
Inhibition of cytochrome P450 2E1 by propofol in human and porcine liver microsomes, 1151
CYP2C8 polymorphisms in Caucasians and their relationship with paclitaxel 6α-hydroxylase activity in human liver microsomes, 1579
Human AT_1 receptor
Antagonist interaction with endogenous AT_1 receptors in human cell lines, 1207
Human chymase
Antioxidants inhibit endothelin-1 (1–31)-induced proliferation of vascular smooth muscle cells via the inhibition of mitogen-activated protein (MAP) kinase and activator protein-1 (AP-1), 1521
Human cytochrome P450
Covalent binding of the anticancer drug ellipticine to DNA in V79 cells transfected with human cytochrome P450 enzymes, 289

Human hepatocytes
Carbonyl reduction of the potential cytostatic drugs benfluron and 3,9-dimethoxybenfluron in human *in vitro*, 297
Human platelets
Modulation of L-arginine transport and nitric oxide production by gabexate mesylate, 277
Human prostate stromal cells
Phorbol ester-induced contractility and Ca^{2+} influx in human cultured prostatic stromal cells, 385
Human serum albumin
Predicting plasma protein binding of drugs: a new approach, 1355
Human smooth muscle cells
Differential effect of simvastatin on activation of Rac_1 vs. activation of the heat shock protein 27-mediated pathway upon oxidative stress, in human smooth muscle cells, 1483
Human tumor xenografts
The activity profile of the hexacyclic camptothecin derivative DX-8951f in experimental human colon cancer and ovarian cancer, 1267
Hydrogen peroxide
Enhancement of glutathione-dependent haemin degradation by ascorbic acid, 565
Cellular glutathione and thiols metabolism, 1019
Glutathione catabolism as a signaling mechanism, 1027
6-Hydroxydopamine
Effects of (−)-nicotine and (−)-cotinine on 6-hydroxydopamine-induced oxidative stress and neurotoxicity: relevance for Parkinson's disease, 125
Lack of correlation between NF-κB activation and induction of programmed cell death in PC12 pheochromocytoma cells treated with 6-hydroxydopamine or the cannabinoid receptor 1-agonist CP55,940, 487
Hydroxyl radical
Antioxidant properties of ursodeoxycholic acid, 1661
4-Hydroxynonenal
Cellular glutathione and thiols metabolism, 1019
11β-Hydroxysteroid dehydrogenase
Carbonyl reduction of the potential cytostatic drugs benfluron and 3,9-dimethoxybenfluron in human *in vitro*, 297
Hyperbilirubinemia
Inhibition of transport across the hepatocyte canalicular membrane by the antibiotic fusidate, 151
Hyperekplexia mutation
Hyperekplexia mutation of glycine receptors: decreased gating efficacy with altered binding thermodynamics, 285
Hyperforin
Hyperforin is a dual inhibitor of cyclooxygenase-1 and 5-lipoxygenase, 1767
Hypericum perforatum
Hyperforin is a dual inhibitor of cyclooxygenase-1 and 5-lipoxygenase, 1767
Hyperplasia
Sodium tanshinone IIA sulfonate derived from Danshen (*Salvia miltiorrhiza*) attenuates hypertrophy induced by angiotensin II in cultured neonatal rat cardiac cells, 745
Hypotensive effect
Structural and functional characterization of an acidic platelet aggregation inhibitor and hypotensive phospholipase A_2 from *Bothrops jararacussu* snake venom, 723
Hypoxia
Is HIF-1α a pro- or an anti-apoptotic protein?, 889
Hypoxia increases tumor cell sensitivity to glycolytic inhibitors: a strategy for solid tumor therapy (Model C), 1745

IκB-α
Relationship between the activation of heat shock factor and the suppression of nuclear factor-κB activity in rat hepatocyte cultures treated with cyclosporine A, 247
IκB
Lack of correlation between NF-κB activation and induction of programmed cell death in PC12 pheochromocytoma cells treated with 6-hydroxydopamine or the cannabinoid receptor 1-agonist CP55,940, 487
IκBα
5-Fluorouracil inhibits nitric oxide production through the inactivation of IκB kinase in stomach cancer cells, 1439
IL-1β
Interleukin-1β converting enzyme (caspase-1) in intestinal inflammation, 1
IL-18
Interleukin-1β converting enzyme (caspase-1) in intestinal inflammation, 1
Immediate early gene
Sodium tanshinone IIA sulfonate derived from Danshen (*Salvia miltiorrhiza*) attenuates hypertrophy induced by angiotensin II in cultured neonatal rat cardiac cells, 745
Immune cells
The c-Jun N-terminal kinases in cerebral microglia: immunological functions in the brain, 781
Immune regulation
Lysophosphatidylcholine as a ligand for immunoregulation, 161
In situ hybridization
Molecular cloning and characterization of mouse CYP2J6, an unstable cytochrome P450 isoform, 1447
In vitro and *in vivo* tumor models
A novel stereo-selective sulfonylurea, 1-[1-(4-aminobenzoyl)-2,3-dihydro-1*H*-indol-6-sulfonyl]-4-phenyl-imidazolidin-2-one, has antitumor efficacy in *in vitro* and *in vivo* tumor models, 473
In vitro translation
Synergistic effects of troglitazone and oleate on the translatability of preproinsulin mRNA from INS-1 cells, 1629
Incretins
A kinetic study of glucagon-like peptide-1 and glucagon-like peptide-2 truncation by dipeptidyl peptidase IV, *in vitro*, 1753
Indole-3-carbinol (I3C)/Female rats
Modulations of P450 mRNA in liver and mammary gland and P450 activities and metabolism of estrogen in liver by treatment of rats with indole-3-carbinol, 393
Indomethacin
Indomethacin-induced mitochondrial dysfunction and oxidative stress in villus enterocytes, 339
Induced chirality
Retinoic acid binding properties of the lipocalin member β-lactoglobulin studied by circular dichroism, electronic absorption spectroscopy and molecular modeling methods, 1651
Inflammation
Lysophosphatidylcholine as a ligand for immunoregulation, 161
Inhibition of heparin synthesis by methotrexate in rats *in vivo*, 169
Inhibition of matrix-proteases by polyphenols: chemical insights for anti-inflammatory and anti-invasion drug design, 229
GPI 6150, a PARP inhibitor, reduces the colon injury caused by dinitrobenzene sulfonic acid in the rat, 327
Enhanced activity of liposomal polymyxin B against *Pseudomonas aeruginosa* in a rat model of lung infection, 1407
Down-regulation of phenobarbital-induced cytochrome P4502B mRNAs and proteins by endotoxin in mice: independence from nitric oxide production by inducible nitric oxide synthase, 1703
Inflammatory bowel disease
Interleukin-1β converting enzyme (caspase-1) in intestinal inflammation, 1
Inhibitors
Identifying *in vivo* targets of cyclin-dependent kinase inhibitors by affinity chromatography, 819
INS-1
Synergistic effect of dimethyl sulfoxide on glucagon-like peptide 1 (GLP-1)-stimulated insulin secretion and gene transcription in INS-1 cells: characterization and implications, 689
INS-1 cells
Synergistic effects of troglitazone and oleate on the translatability of preproinsulin mRNA from INS-1 cells, 1629

Insulin
Synergistic effect of dimethyl sulfoxide on glucagon-like peptide 1 (GLP-1)-stimulated insulin secretion and gene transcription in INS-1 cells: characterization and implications, 689
Insulin biosynthesis
Synergistic effects of troglitazone and oleate on the translatability of preproinsulin mRNA from INS-1 cells, 1629
Insulin receptor
A homogenous assay to monitor the activity of the insulin receptor using Bioluminescence Resonance Energy Transfer, 813
Insurmountable
Antagonist interaction with endogenous AT_1 receptors in human cell lines, 1207
Integrin
Divalent cations and the relationship between αA and βA domains in integrins, 805
Intercalation
Mechanism of action of non-cisplatin type DNA-targeted platinum anticancer agents: DNA interactions of novel acridinylthioureas and their platinum conjugates, 191
Interferon
Multiple signaling pathways leading to the activation of interferon regulatory factor 3, 985
Interferon-γ
UVB light suppresses nitric oxide production by murine keratinocytes and macrophages, 1469
Interleukin-8
Identification of a signaling cascade for interleukin-8 production by *Helicobacter pylori* in human gastric epithelial cells, 21
Oxidative stress, transcription factors and chromatin remodelling in lung inflammation, 935
Interleukin 8
Induction of interleukin 8 release from the HMC-1 mast cell line: Synergy between stem cell factor and activators of the adenosine A_{2b} receptor, 317
Interleukin-1β converting enzyme
Interleukin-1β converting enzyme (caspase-1) in intestinal inflammation, 1
Intracellular Ca^{2+}
Biphasic effects of oxethazaine, a topical anesthetic, on the intracellular Ca^{2+} concentration of PC12 cells, 677
Intrathecal injection
Degradation of nociceptin (orphanin FQ) by mouse spinal cord synaptic membranes is triggered by endopeptidase-24.11: an *in vitro* and *in vivo* study, 1293
Intravascular hemolysis
In vivo anti-complement effect of bilirubin-IXα, 741
Intrinsic activity
Modulation of agonist responses at the A_1 adenosine receptor by an irreversible antagonist, receptor–G protein uncoupling and by the G protein activation state, 1251
Invasion
Inhibition of matrix-proteases by polyphenols: chemical insights for anti-inflammatory and anti-invasion drug design, 229
IRF-3
Multiple signaling pathways leading to the activation of interferon regulatory factor 3, 985
Irinotecan
Contribution of apoptosis in the cytotoxicity of the oxaliplatin–irinotecan combination in the HT29 human colon adenocarcinoma cell line, 1215
Iron
Glutathione, iron and Parkinson's disease, 1037
Antioxidant properties of ursodeoxycholic acid, 1661
Iron chelates
Effect of free iron on collagen synthesis, cell proliferation and MMP-2 expression in rat hepatic stellate cells, 1139
Iron overload
Effect of free iron on collagen synthesis, cell proliferation and MMP-2 expression in rat hepatic stellate cells, 1139
Iron–chelators
Mobilization of intracellular iron by analogs of pyridoxal isonicotinoyl hydrazone (PIH) is determined by the membrane permeability of the iron–chelator complexes, 1689

Japanese monkey
Complementary DNA cloning and characterization of cytochrome P450 2D29 from Japanese monkey liver, 1101
Jun
Function of AP-1 target genes in mesenchymal–epithelial cross-talk in skin, 949

Kainic acid
Evidence for the presence of glutamatergic receptors in adult *Schistosoma mansoni*, 1337
KB-V1 cells
Modulation of P-glycoprotein expression and function by curcumin in multidrug-resistant human KB cells, 573
Keratinocytes
Function of AP-1 target genes in mesenchymal–epithelial cross-talk in skin, 949
Kidney
Cellular energetics and glutathione status in NRK-52E cells: toxicological implications, 1533
Kidney cortical mitochondria
Enhancement of protein kinase C activity and chemiluminescence intensity in mitochondria isolated from the kidney cortex of rats treated with cephaloridine, 543
Kidney fibrosis
Effect of pirfenidone against vanadate-induced kidney fibrosis in rats, 517
Kinetics
Renal organic cation and nucleoside transport, 185
Knockout animals
Uncoupling protein 2 (UCP2) lowers alcohol sensitivity and pain threshold, 369
Knockout mice
Renal organic cation and nucleoside transport, 185
K-ras
Alterations in membrane-bound and cytoplasmic K-ras protein levels in mouse lung induced by treatment with lovastatin, cholestyramine, or niacin: effects are highly mouse strain dependent, 41
Kupffer cell
Diverse functional coupling of cyclooxygenase 1 and 2 with final prostanoid synthases in liver macrophages, 1227

L-Arginine uptake
Modulation of L-arginine transport and nitric oxide production by gabexate mesylate, 277
Leukocyte elastase
Inhibition of matrix-proteases by polyphenols: chemical insights for anti-inflammatory and anti-invasion drug design, 229
Leukocyte infiltration
Role of mast cell chymase in allergen-induced biphasic skin reaction, 1187
Leukotriene
Hyperforin is a dual inhibitor of cyclooxygenase-1 and 5-lipoxygenase, 1767
Lewy bodies
Glutathione, iron and Parkinson's disease, 1037
Ligand binding
Retinoic acid binding properties of the lipocalin member β-lactoglobulin studied by circular dichroism, electronic absorption spectroscopy and molecular modeling methods, 1651
Lignans
Inhibition of prostaglandin E_2 production by taiwanin C isolated from the root of *Acanthopanax chiisanensis* and the mechanism of action, 1345

Lipid library
Comparative analysis of human and rat $S1P_5$ (edg8): differential expression profiles and sensitivities to antagonists, 1243
Lipid peroxidation
Analysis of oxidative processes and of myelin figures formation before and after the loss of mitochondrial transmembrane potential during 7β-hydroxycholesterol and 7-ketocholesterol-induced apoptosis: comparison with various pro-apoptotic chemicals, 527
Antioxidant properties of ursodeoxycholic acid, 1661
Lipid transfer protein I
Cholesteryl ester transfer protein facilitates the movement of water-insoluble drugs between lipoproteins: a novel biological function for a well-characterized lipid transfer protein, 1669
Lipophilicity
Predicting plasma protein binding of drugs: a new approach, 1355
Lipopolysaccharide
Diverse functional coupling of cyclooxygenase 1 and 2 with final prostanoid synthases in liver macrophages, 1227
Liposomes
Cationic liposomes as delivery systems for double-stranded PNA–DNA chimeras exhibiting decoy activity against NF-κB transcription factors, 609
Enhanced activity of liposomal polymyxin B against *Pseudomonas aeruginosa* in a rat model of lung infection, 1407
5-Lipoxygenase
Contribution of different phospholipases and arachidonic acid metabolites in the response of gallbladder smooth muscle to cholecystokinin, 1157
Hyperforin is a dual inhibitor of cyclooxygenase-1 and 5-lipoxygenase, 1767
Liver
NMR and pattern recognition studies on liver extracts and intact livers from rats treated with α-naphthylisothiocyanate, 67
CYP2C8 polymorphisms in Caucasians and their relationship with paclitaxel 6α-hydroxylase activity in human liver microsomes, 1579
Liver fibrosis
Effect of free iron on collagen synthesis, cell proliferation and MMP-2 expression in rat hepatic stellate cells, 1139
Liver metabolism
PXR-dependent induction of human *CYP3A4* gene expression by organochlorine pesticides, 1513
Liver microsomes
Inhibition of cytochrome P450 2E1 by propofol in human and porcine liver microsomes, 1151
Liver mitochondria
Effects of *in vivo* treatment of rats with trimethyltin chloride on respiratory properties of rat liver mitochondria, 657
Liver slices
Role of temperature on protein and mRNA cytochrome P450 3A (CYP3A) isozymes expression and midazolam oxidation by cultured rat precision-cut liver slices, 633
Liver/Mammary gland P450 (CYP) mRNA expression
Modulations of P450 mRNA in liver and mammary gland and P450 activities and metabolism of estrogen in liver by treatment of rats with indole-3-carbinol, 393
Lovastatin
Alterations in membrane-bound and cytoplasmic K-ras protein levels in mouse lung induced by treatment with lovastatin, cholestyramine, or niacin: effects are highly mouse strain dependent, 41
Low-density microarray
Gene expression profiling of drug metabolism and toxicology markers using a low-density DNA microarray, 137
L-type Ca^{2+} channel
Role of noradrenaline on the expression of the Na^+/K^+-ATPase α_2 isoform and the contractility of cultured rat vas deferens, 1431
L-type Ca^{2+} channels
Biphasic effects of oxethazaine, a topical anesthetic, on the intracellular Ca^{2+} concentration of PC12 cells, 677
Lung infection
Enhanced activity of liposomal polymyxin B against *Pseudomonas aeruginosa* in a rat model of lung infection, 1407
Lung injury
Enhanced activity of liposomal polymyxin B against *Pseudomonas aeruginosa* in a rat model of lung infection, 1407
Lymphoma
Effects of FK228, a novel histone deacetylase inhibitor, on human lymphoma U-937 cells *in vitro* and *in vivo*, 1079
Lysophosphatidylcholine
Lysophosphatidylcholine as a ligand for immunoregulation, 161

Macrophage
Anti-inflammatory drugs modulate C1q secretion in human peritoneal macrophages *in vitro*, 457
G protein-coupled receptor for nicotinic acid in mouse macrophages, 645
Diverse functional coupling of cyclooxygenase 1 and 2 with final prostanoid synthases in liver macrophages, 1227
Role of the Fas/Fas ligand system in female reproductive organs: survival and apoptosis, 1305
Inhibition of prostaglandin E_2 production by taiwanin C isolated from the root of *Acanthopanax chiisanensis* and the mechanism of action, 1345
Magic angle spinning
NMR and pattern recognition studies on liver extracts and intact livers from rats treated with α-naphthylisothiocyanate, 67
Malaria
Membrane heme as a host factor in reducing effectiveness of dihydroartemisinin, 91
Haem polymerase as a novel target of antimalarial action of cyproheptadine, 1399
Mammal
Designed transcription factors as tools for therapeutics and functional genomics, 919
Mammalian target of rapamycin (mTOR)
A novel pathway regulating the mammalian target of rapamycin (mTOR) signaling, 1071
MAP kinase
Signal transduction to hypoxia-inducible factor 1, 993
MAP kinase activation
Activation of mitogen-activated protein kinases (MAPKs) by aromatic hydrocarbons: role in the regulation of aryl hydrocarbon receptor (AHR) function, 771
MAP kinases
Fidelity and spatio-temporal control in MAP kinase (ERKs) signalling, 755
Inflammatory signal transduction in Crohn's disease and novel therapeutic approaches, 789
MAPK-phosphatases
Fidelity and spatio-temporal control in MAP kinase (ERKs) signalling, 755
MAS 1H NMR spectroscopy
NMR and pattern recognition studies on liver extracts and intact livers from rats treated with α-naphthylisothiocyanate, 67
Mass spectrometry
Regulation of anandamide tissue levels by *N*-arachidonylglycine, 1147
Mast cell
Induction of interleukin 8 release from the HMC-1 mast cell line: Synergy between stem cell factor and activators of the adenosine A_{2b} receptor, 317
Role of mast cell chymase in allergen-induced biphasic skin reaction, 1187
Inhibition of heparin synthesis by methotrexate in rats *in vivo*, 169
Matrix metalloproteinases
Effects of polysulfated glycosaminoglycan and triamcinolone acetonid on the production of proteinases and their inhibitors by IL-1α treated articular chondrocytes, 217

MCF-7
Modulation of tamoxifen-induced apoptosis by peripheral benzodiazepine receptor ligands in breast cancer cells, 99
MDCK cells
Novel effect of carvedilol on Ca^{2+} movement in renal tubular cells, 1777
Mdm2
Regulation of p53: intricate loops and delicate balances, 865
Melanoma cells
Cytotoxicity of dopamine-derived tetrahydroisoquinolines on melanoma cells, 1503
Membrane permeability of iron chelates
Mobilization of intracellular iron by analogs of pyridoxal isonicotinoyl hydrazone (PIH) is determined by the membrane permeability of the iron–chelator complexes, 1689
Menadione
A physiological threshold for protection against menadione toxicity by human NAD(P)H:quinone oxidoreductase (NQO1) in Chinese hamster ovary (CHO) cells, 1597
Metabolic pathway
Degradation of nociceptin (orphanin FQ) by mouse spinal cord synaptic membranes is triggered by endopeptidase-24.11: an *in vitro* and *in vivo* study, 1293
Metabolic zonation
Signaling cross-talk between hypoxia and glucose via hypoxia-inducible factor 1 and glucose response elements, 903
Metabolons
Toxic, halogenated cysteine *S*-conjugates and targeting of mitochondrial enzymes of energy metabolism, 553
Metabonomics
NMR and pattern recognition studies on liver extracts and intact livers from rats treated with α-naphthylisothiocyanate, 67
Metalloproteases
Effect of free iron on collagen synthesis, cell proliferation and MMP-2 expression in rat hepatic stellate cells, 1139
Metastasis
Glutamate antagonists limit tumor growth, 1195
Methotrexate
Inhibition of heparin synthesis by methotrexate in rats *in vivo*, 169
Expression and activity of the DNA repair enzyme uracil DNA glycosylase during organogenesis in the rat conceptus and following methotrexate exposure *in vitro*, 711
3-Methyladenine
Inhibition of mitochondrial permeability transition and release of cytochrome *c* by anti-apoptotic nucleoside analogues, 441
Methylation
Human histamine *N*-methyltransferase pharmacogenetics: gene resequencing, promoter characterization, and functional studies of a common 5′-flanking region single nucleotide polymorphism (SNP), 699
Metoprolol
The molecular and enzyme kinetic basis for the diminished activity of the cytochrome P450 2D6.17 (CYP2D6.17) variant. Potential implications for CYP2D6 phenotyping studies and the clinical use of CYP2D6 substrate drugs in some African populations, 1387
Microarray analysis
mRNA expression profiles for the response of human tumor cell lines to the antimalarial drugs artesunate, arteether, and artemether, 617
Microglia
Brain mitochondrial uncoupling protein 2 (UCP2): a protective stress signal in neuronal injury, 363
The c-Jun N-terminal kinases in cerebral microglia: immunological functions in the brain, 781
Micronutrients
Genomic responses to herbal extracts: lessons from *in vitro* and *in vivo* studies with an extract of *Ginkgo biloba*, 913
Midazolam oxidation
Role of temperature on protein and mRNA cytochrome P450 3A (CYP3A) isozymes expression and midazolam oxidation by cultured rat precision-cut liver slices, 633
Migration
Glutamate antagonists limit tumor growth, 1195
Mitochondria
Indomethacin-induced mitochondrial dysfunction and oxidative stress in villus enterocytes, 339
Inhibition of mitochondrial permeability transition and release of cytochrome *c* by anti-apoptotic nucleoside analogues, 441
Hypoxia increases tumor cell sensitivity to glycolytic inhibitors: a strategy for solid tumor therapy (Model C), 1745
Mitochondrial dysfunction
Glutathione, iron and Parkinson's disease, 1037
Mitochondrial toxicants
Toxic, halogenated cysteine *S*-conjugates and targeting of mitochondrial enzymes of energy metabolism, 553
Mitochondrial uncoupling proteins
Brain mitochondrial uncoupling protein 2 (UCP2): a protective stress signal in neuronal injury, 363
Mitogen-activated protein kinase
Antioxidants and oxidants regulated signal transduction pathways, 765
Age-related decline in cellular response to oxidative stress: links to growth factor signaling pathways with common defects, 999
Mitogen-activated protein kinases
Antioxidants inhibit endothelin-1 (1–31)-induced proliferation of vascular smooth muscle cells via the inhibition of mitogen-activated protein (MAP) kinase and activator protein-1 (AP-1), 1521
Mitogenic signaling
Characterization of glomerular cell phenotypes following repeated cycles of benzo[*a*]pyrene injury *in vitro*, 31
Mixed-lineage kinases
The c-Jun N-terminal kinases in cerebral microglia: immunological functions in the brain, 781
MKN45 cells
Identification of a signaling cascade for interleukin-8 production by *Helicobacter pylori* in human gastric epithelial cells, 21
MnSOD
Novel mechanism of Vitamin E protection against cyclosporine A cytotoxicity in cultured rat hepatocytes, 267
Mobilization of iron from cells
Mobilization of intracellular iron by analogs of pyridoxal isonicotinoyl hydrazone (PIH) is determined by the membrane permeability of the iron–chelator complexes, 1689
Mouse liver
Down-regulation of phenobarbital-induced cytochrome P4502B mRNAs and proteins by endotoxin in mice: independence from nitric oxide production by inducible nitric oxide synthase, 1703
Mouse lung
Alterations in membrane-bound and cytoplasmic K-ras protein levels in mouse lung induced by treatment with lovastatin, cholestyramine, or niacin: effects are highly mouse strain dependent, 41
mRNA expression levels
Up-regulation of A_{2A} adenosine receptors by proinflammatory cytokines in rat PC12 cells, 625
MSK
Regulation of the transcriptional activity of the nuclear factor-κB p65 subunit, 963
Multidrug resistance
Modulation of P-glycoprotein expression and function by curcumin in multidrug-resistant human KB cells, 573
Transcriptional regulators of the human multidrug resistance 1 gene: recent views, 943
Multi-drug resistance protein
Inhibition of transport across the hepatocyte canalicular membrane by the antibiotic fusidate, 151
Mutagenicity
Cytotoxic and genotoxic effects of megazol, an anti-Chagas' disease drug, assessed by different short-term tests, 1617

Myelin figures
Analysis of oxidative processes and of myelin figures formation before and after the loss of mitochondrial transmembrane potential during 7β-hydroxycholesterol and 7-ketocholesterol-induced apoptosis: comparison with various pro-apoptotic chemicals, 527
Myotoxin
Biochemical and biological properties of phospholipases A_2 from *Bothrops atrox* snake venom, 1179

N-Myristoyltransferase
Enhanced activity of human *N*-myristoyltransferase by dimethyl sulfoxide and related solvents in the presence of serine/threonine-containing peptide substrates, 1461
Na^+/K^+-exchanging ATPase
Role of noradrenaline on the expression of the Na^+/K^+-ATPase α_2 isoform and the contractility of cultured rat vas deferens, 1431
NAD(P)H:quinone oxidoreductase
A physiological threshold for protection against menadione toxicity by human NAD(P)H:quinone oxidoreductase (NQO1) in Chinese hamster ovary (CHO) cells, 1597
NAD^+/NADH ratio
Characterization of the cAMP binding site of purified *S*-adenosylhomocysteine hydrolase from bovine kidney, 1201
α-Naphthylisothiocyanate
NMR and pattern recognition studies on liver extracts and intact livers from rats treated with α-naphthylisothiocyanate, 67
NCI-h295
Antagonist interaction with endogenous AT_1 receptors in human cell lines, 1207
Necrosis
Cell culture model for acetaminophen-induced hepatocyte death *in vivo*, 413
Carbazolequinone induction of caspase-dependent cell death in Src-overexpressing cells, 1605
Nephrotoxicity
Enhancement of protein kinase C activity and chemiluminescence intensity in mitochondria isolated from the kidney cortex of rats treated with cephaloridine, 543
Neprilysin
Degradation of nociceptin (orphanin FQ) by mouse spinal cord synaptic membranes is triggered by endopeptidase-24.11: an *in vitro* and *in vivo* study, 1293
Netropsin
DNA structural alterations induced by bis-netropsins modulate human DNA topoisomerase I cleavage activity and poisoning by camptothecin, 79
Neurodegeneration
The c-Jun N-terminal kinases in cerebral microglia: immunological functions in the brain, 781
Neurogranin
Glutathionylation of proteins by glutathione disulfide S-oxide, 1049
Neuronal cell death
Lack of correlation between NF-κB activation and induction of programmed cell death in PC12 pheochromocytoma cells treated with 6-hydroxydopamine or the cannabinoid receptor 1-agonist CP55,940, 487
Neuronal degeneration
Brain mitochondrial uncoupling protein 2 (UCP2): a protective stress signal in neuronal injury, 363
Neutral endopeptidase
Degradation of nociceptin (orphanin FQ) by mouse spinal cord synaptic membranes is triggered by endopeptidase-24.11: an *in vitro* and *in vivo* study, 1293
NF023
Comparative analysis of human and rat $S1P_5$ (edg8): differential expression profiles and sensitivities to antagonists, 1243
NF-κB
Identification of a signaling cascade for interleukin-8 production by *Helicobacter pylori* in human gastric epithelial cells, 21
Relationship between the activation of heat shock factor and the suppression of nuclear factor-κB activity in rat hepatocyte cultures treated with cyclosporine A, 247
Lack of correlation between NF-κB activation and induction of programmed cell death in PC12 pheochromocytoma cells treated with 6-hydroxydopamine or the cannabinoid receptor 1-agonist CP55,940, 487
Diversity of acetylation targets and roles in transcriptional regulation: the human immunodeficiency virus type 1 promoter as a model system, 925
Oxidative stress, transcription factors and chromatin remodelling in lung inflammation, 935
Regulation of the transcriptional activity of the nuclear factor-κB p65 subunit, 963
Reduction of tumor necrosis factor-alpha (TNF-α) related nuclear factor-kappaB (NF-κB) translocation but not inhibitor kappa-B (Iκ-B)-degradation by Rho protein inhibition in human endothelial cells, 971
Glutathione catabolism as a signaling mechanism, 1027
Endoplasmic reticulum (ER) stress: hepatitis C virus induces an ER-nucleus signal transduction pathway and activates NF-κB and STAT-3, 1425
5-Fluorouracil inhibits nitric oxide production through the inactivation of IκB kinase in stomach cancer cells, 1439
NF-κB transcription
Identification of cytokine-induced nuclear factor-kappaB target genes in ovarian and breast cancer cells, 873
NF-IL6
Induction of cyclooxygenase-2 by staurosporine through the activation of nuclear factor for IL-6 (NF-IL6) and activator protein 2 (AP2) in an osteoblast-like cell line, 177
Niacin
Alterations in membrane-bound and cytoplasmic K-ras protein levels in mouse lung induced by treatment with lovastatin, cholestyramine, or niacin: effects are highly mouse strain dependent, 41
(−)-Nicotine
Effects of (−)-nicotine and (−)-cotinine on 6-hydroxydopamine-induced oxidative stress and neurotoxicity: relevance for Parkinson's disease, 125
Nicotinic acid
G protein-coupled receptor for nicotinic acid in mouse macrophages, 645
Nitric oxide
GPI 6150, a PARP inhibitor, reduces the colon injury caused by dinitrobenzene sulfonic acid in the rat, 327
5-Fluorouracil inhibits nitric oxide production through the inactivation of IκB kinase in stomach cancer cells, 1439
UVB light suppresses nitric oxide production by murine keratinocytes and macrophages, 1469
Down-regulation of phenobarbital-induced cytochrome P4502B mRNAs and proteins by endotoxin in mice: independence from nitric oxide production by inducible nitric oxide synthase, 1703
Nitroimidazole
Cytotoxic and genotoxic effects of megazol, an anti-Chagas' disease drug, assessed by different short-term tests, 1617
Nitrosopropofol
Effects of nitrosopropofol on mitochondrial energy-converting system, 1133
NMDA
Glutamate antagonists limit tumor growth, 1195
NMR
Differential binding to the α/β-tubulin dimer of vinorelbine and vinflunine revealed by nuclear magnetic resonance analyses, 733
NO formation
Modulation of L-arginine transport and nitric oxide production by gabexate mesylate, 277
NO synthase activity
Modulation of L-arginine transport and nitric oxide production by gabexate mesylate, 277

Nociceptin-induced behavioral response
Degradation of nociceptin (orphanin FQ) by mouse spinal cord synaptic membranes is triggered by endopeptidase-24.11: an *in vitro* and *in vivo* study, 1293
Nociception
Uncoupling protein 2 (UCP2) lowers alcohol sensitivity and pain threshold, 369
Non-genomic effect
Activation of mitogen-activated protein kinases (MAPKs) by aromatic hydrocarbons: role in the regulation of aryl hydrocarbon receptor (AHR) function, 771
Non-steroidal anti-inflammatory agent
Designer glucocorticoids, 355
Noradrenaline
Endothelin-1-induced arachidonic acid release by cytosolic phospholipase A_2 activation in rat vascular smooth muscle via extracellular signal-regulated kinases pathway, 425
Role of noradrenaline on the expression of the Na^+/K^+-ATPase α_2 isoform and the contractility of cultured rat vas deferens, 1431
NRK-52E cells
Cellular energetics and glutathione status in NRK-52E cells: toxicological implications, 1533
NS5A
Endoplasmic reticulum (ER) stress: hepatitis C virus induces an ER-nucleus signal transduction pathway and activates NF-κB and STAT-3, 1425
NSAIDs
Indomethacin-induced mitochondrial dysfunction and oxidative stress in villus enterocytes, 339
N-terminal sequence
Structural and functional characterization of an acidic platelet aggregation inhibitor and hypotensive phospholipase A_2 from *Bothrops jararacussu* snake venom, 723
Nuclear factor-κB
Nuclear factor-kappa B and cancer: its role in prevention and therapy, 883
Potentiation of 1,25-dihydroxyvitamin D_3-induced differentiation of human promyelocytic leukemia cells into monocytes by costunolide, a germacranolide sesquiterpene lactone, 1233
Nuclear magnetic resonance
Mechanism of action of non-cisplatin type DNA-targeted platinum anticancer agents: DNA interactions of novel acridinylthioureas and their platinum conjugates, 191
Nucleoside analog
Renal organic cation and nucleoside transport, 185
Nucleus
Fidelity and spatio-temporal control in MAP kinase (ERKs) signalling, 755

Obesity
A homogenous assay to monitor the activity of the insulin receptor using Bioluminescence Resonance Energy Transfer, 813
Oligonucleotide arrays
Genomic responses to herbal extracts: lessons from *in vitro* and *in vivo* studies with an extract of *Ginkgo biloba*, 913
Olomoucine
Inhibition of mitochondrial permeability transition and release of cytochrome *c* by anti-apoptotic nucleoside analogues, 441
Oncogene
Growth signaling in breast cancer cells: outcomes and promises of proteomics, 797
Evasion from proteasomal degradation by mutated Fos proteins expressed from FBJ-MSV and FBR-MSV osteosarcomatogenic retroviruses, 957
μ-Opioid receptor
Identification of two C-terminal amino acids, Ser^{355} and Thr^{357}, required for short-term homologous desensitization of μ-opioid receptors, 257
Organ culture
Role of noradrenaline on the expression of the Na^+/K^+-ATPase α_2 isoform and the contractility of cultured rat vas deferens, 1431
Organic cation transporter
Renal organic cation and nucleoside transport, 185
Organochlorine pesticides
PXR-dependent induction of human *CYP3A4* gene expression by organochlorine pesticides, 1513
Organogenesis
Expression and activity of the DNA repair enzyme uracil DNA glycosylase during organogenesis in the rat conceptus and following methotrexate exposure *in vitro*, 711
Osteoarthritis
Effects of polysulfated glycosaminoglycan and triamcinolone acetonid on the production of proteinases and their inhibitors by IL-1α treated articular chondrocytes, 217
Ovarian cancer
The activity profile of the hexacyclic camptothecin derivative DX-8951f in experimental human colon cancer and ovarian cancer, 1267
Ovarian carcinoma
Chemosensitization by fibroblast growth factor-2 is not dependent upon proliferation, S-phase accumulation, or p53 status, 1111
Ovary
Cell-specific regulation of apoptosis by glucocorticoids: implication to their anti-inflammatory action, 843
Oxaliplatin
Contribution of apoptosis in the cytotoxicity of the oxaliplatin–irinotecan combination in the HT29 human colon adenocarcinoma cell line, 1215
Oxamate
Hypoxia increases tumor cell sensitivity to glycolytic inhibitors: a strategy for solid tumor therapy (Model C), 1745
Oxethazaine
Biphasic effects of oxethazaine, a topical anesthetic, on the intracellular Ca^{2+} concentration of PC12 cells, 677
Oxidant
Oxidative stress, transcription factors and chromatin remodelling in lung inflammation, 935
Oxidative and nitrosative stress
Glutathionylation of proteins by glutathione disulfide S-oxide, 1049
Oxidative stress
Effects of (−)-nicotine and (−)-cotinine on 6-hydroxydopamine-induced oxidative stress and neurotoxicity: relevance for Parkinson's disease, 125
Indomethacin-induced mitochondrial dysfunction and oxidative stress in villus enterocytes, 339
Glutathione, iron and Parkinson's disease, 1037
Differential effect of simvastatin on activation of Rac_1 vs. activation of the heat shock protein 27-mediated pathway upon oxidative stress, in human smooth muscle cells, 1483
Antioxidant properties of ursodeoxycholic acid, 1661
Oxidized low density lipoprotein
Lysophosphatidylcholine as a ligand for immunoregulation, 161
Oxygen
Signaling cross-talk between hypoxia and glucose via hypoxia-inducible factor 1 and glucose response elements, 903
Oxysterol
Analysis of oxidative processes and of myelin figures formation before and after the loss of mitochondrial transmembrane potential during 7β-hydroxycholesterol and 7-ketocholesterol-induced apoptosis: comparison with various pro-apoptotic chemicals, 527

p27
ErbB-2-induced mammary tumor growth: the role of cyclin D1 and p27Kip1, 827
p53
Regulation of p53: intricate loops and delicate balances, 865

p38
Differential effect of simvastatin on activation of Rac_1 vs. activation of the heat shock protein 27-mediated pathway upon oxidative stress, in human smooth muscle cells, 1483
Paclitaxel
CYP2C8 polymorphisms in Caucasians and their relationship with paclitaxel 6α-hydroxylase activity in human liver microsomes, 1579
Pancreatic β-cell
Synergistic effect of dimethyl sulfoxide on glucagon-like peptide 1 (GLP-1)-stimulated insulin secretion and gene transcription in INS-1 cells: characterization and implications, 689
Pancreatic β-cells
Synergistic effects of troglitazone and oleate on the translatability of preproinsulin mRNA from INS-1 cells, 1629
Parkinson's disease
Effects of (−)-nicotine and (−)-cotinine on 6-hydroxydopamine-induced oxidative stress and neurotoxicity: relevance for Parkinson's disease, 125
Glutathione, iron and Parkinson's disease, 1037
Partial agonists
Hyperekplexia mutation of glycine receptors: decreased gating efficacy with altered binding thermodynamics, 285
Patch-clamp
Inhibition of the activity of T lymphocyte Kv1.3 channels by extracellular zinc, 595
Paullone
Identifying *in vivo* targets of cyclin-dependent kinase inhibitors by affinity chromatography, 819
PBR
Modulation of tamoxifen-induced apoptosis by peripheral benzodiazepine receptor ligands in breast cancer cells, 99
PC12 cells
Arachidonic acid release and prostaglandin $F_{2\alpha}$ formation induced by phenylarsine oxide in PC12 cells: possible involvement of secretory phospholipase A_2 activity, 117
Lack of correlation between NF-κB activation and induction of programmed cell death in PC12 pheochromocytoma cells treated with 6-hydroxydopamine or the cannabinoid receptor 1-agonist CP55,940, 487
Biphasic effects of oxethazaine, a topical anesthetic, on the intracellular Ca^{2+} concentration of PC12 cells, 677
PC-PLC
Contribution of different phospholipases and arachidonic acid metabolites in the response of gallbladder smooth muscle to cholecystokinin, 1157
Peptide substrates
Enhanced activity of human *N*-myristoyltransferase by dimethyl sulfoxide and related solvents in the presence of serine/threonine-containing peptide substrates, 1461
Peroxisome proliferator activated receptor
Is there a single mechanism for fatty acid regulation of gene transcription?, 893
Peroxisomes
Effects of *in vivo* treatment of rats with trimethyltin chloride on respiratory properties of rat liver mitochondria, 657
P-glycoprotein
Modulation of P-glycoprotein expression and function by curcumin in multidrug-resistant human KB cells, 573
Transcriptional regulators of the human multidrug resistance 1 gene: recent views, 943
Pharmacokinetics
Analytical and pharmacokinetic studies with 5-chloro-2′-deoxycytidine, 1493
Phase I metabolism
Role of temperature on protein and mRNA cytochrome P450 3A (CYP3A) isozymes expression and midazolam oxidation by cultured rat precision-cut liver slices, 633
Phenobarbital
Down-regulation of phenobarbital-induced cytochrome P4502B mRNAs and proteins by endotoxin in mice: independence from nitric oxide production by inducible nitric oxide synthase, 1703
Phenolic antioxidants
Antioxidants and oxidants regulated signal transduction pathways, 765
Phenylarsine oxide
Arachidonic acid release and prostaglandin $F_{2\alpha}$ formation induced by phenylarsine oxide in PC12 cells: possible involvement of secretory phospholipase A_2 activity, 117
Phorbol esters
Phorbol ester-induced contractility and Ca^{2+} influx in human cultured prostatic stromal cells, 385
Phosphate donor
Identification of residues involved in the substrate specificity of human and murine dCK, 1559
Phosphatidic acid
A novel pathway regulating the mammalian target of rapamycin (mTOR) signaling, 1071
Phosphatidylinositol 3-kinase
Signal transduction to hypoxia-inducible factor 1, 993
Phosphatidylinositol 3-kinase (PI3K)
A novel pathway regulating the mammalian target of rapamycin (mTOR) signaling, 1071
Phosphodiesterase
Inhibition of platelet P2Y12 and α2A receptor signaling by cGMP-dependent protein kinase, 433
Phosphoenolpyruvate carboxykinase
Is there a single mechanism for fatty acid regulation of gene transcription?, 893
Phospholipase A_2
Lysophosphatidylcholine as a ligand for immunoregulation, 161
Biochemical and biological properties of phospholipases A_2 from *Bothrops atrox* snake venom, 1179
Phospholipase D (PLD)
A novel pathway regulating the mammalian target of rapamycin (mTOR) signaling, 1071
Phosphorylation
Agents that elevate cyclic AMP induce receptor phosphorylation primarily at serine 331 in HEK 293 cells overexpressing human thromboxane receptor α, 375
Regulation of the transcriptional activity of the nuclear factor-κB p65 subunit, 963
P_i transport inhibition
Inhibition of phosphate transport in rat heart mitochondria by 3′-azido-3′-deoxythymidine due to stimulation of superoxide anion mitochondrial production, 201
Pig
Inhibition of cytochrome P450 2E1 by propofol in human and porcine liver microsomes, 1151
PIH analogs
Mobilization of intracellular iron by analogs of pyridoxal isonicotinoyl hydrazone (PIH) is determined by the membrane permeability of the iron–chelator complexes, 1689
PI3-K/Akt
Age-related decline in cellular response to oxidative stress: links to growth factor signaling pathways with common defects, 999
PI-PLC
Contribution of different phospholipases and arachidonic acid metabolites in the response of gallbladder smooth muscle to cholecystokinin, 1157
Pirfenidone
Effect of pirfenidone against vanadate-induced kidney fibrosis in rats, 517
PLA_2
Contribution of different phospholipases and arachidonic acid metabolites in the response of gallbladder smooth muscle to cholecystokinin, 1157

Plasma protein binding
Predicting plasma protein binding of drugs: a new approach, 1355
Plasmid unwinding
Mechanism of action of non-cisplatin type DNA-targeted platinum anticancer agents: DNA interactions of novel acridinylthioureas and their platinum conjugates, 191
Plasminogen activator inhibitor
Effects of polysulfated glycosaminoglycan and triamcinolone acetonid on the production of proteinases and their inhibitors by IL-1α treated articular chondrocytes, 217
Plasminogen activators
Effects of polysulfated glycosaminoglycan and triamcinolone acetonid on the production of proteinases and their inhibitors by IL-1α treated articular chondrocytes, 217
Plasmodium yoelii nigeriensis
Haem polymerase as a novel target of antimalarial action of cyproheptadine, 1399
Platelet aggregation inhibition
Structural and functional characterization of an acidic platelet aggregation inhibitor and hypotensive phospholipase A_2 from *Bothrops jararacussu* snake venom, 723
Platinum drugs
Mechanism of action of non-cisplatin type DNA-targeted platinum anticancer agents: DNA interactions of novel acridinylthioureas and their platinum conjugates, 191
Platyhelminths
Evidence for the presence of glutamatergic receptors in adult *Schistosoma mansoni*, 1337
PLD
Contribution of different phospholipases and arachidonic acid metabolites in the response of gallbladder smooth muscle to cholecystokinin, 1157
PNA
Cationic liposomes as delivery systems for double-stranded PNA–DNA chimeras exhibiting decoy activity against NF-κB transcription factors, 609
Poly (ADP-ribose) synthethase
GPI 6150, a PARP inhibitor, reduces the colon injury caused by dinitrobenzene sulfonic acid in the rat, 327
Poly(ADP-ribose) polymerase
Contribution of apoptosis in the cytotoxicity of the oxaliplatin–irinotecan combination in the HT29 human colon adenocarcinoma cell line, 1215
Role of poly(ADP-ribose) polymerase activation in endotoxin-induced cardiac collapse in rodents, 1785
Polyamine transport
Insufficiently charged isosteric analogue of spermine: interaction with polyamine uptake, and effect on Caco-2 cell growth, 649
Polyglutamylation
Effects of antifolates on the binding of 5-fluoro-2′-deoxyuridine monophosphate to thymidylate synthase, 669
Polymorphism
CYP2C8 polymorphisms in Caucasians and their relationship with paclitaxel 6α-hydroxylase activity in human liver microsomes, 1579
Polymyxin B
Enhanced activity of liposomal polymyxin B against *Pseudomonas aeruginosa* in a rat model of lung infection, 1407
Polyphenols
Inhibition of matrix-proteases by polyphenols: chemical insights for anti-inflammatory and anti-invasion drug design, 229
Polysulfated polysaccharides
Effects of polysulfated glycosaminoglycan and triamcinolone acetonid on the production of proteinases and their inhibitors by IL-1α treated articular chondrocytes, 217
Potassium channel
Inhibition of the activity of T lymphocyte Kv1.3 channels by extracellular zinc, 595
Potency
Modulation of agonist responses at the A_1 adenosine receptor by an irreversible antagonist, receptor–G protein uncoupling and by the G protein activation state, 1251
POU transcription factor
Differential activity by DNA-induced quarternary structures of POU transcription factors, 979
32P-Postlabelling
Covalent binding of the anticancer drug ellipticine to DNA in V79 cells transfected with human cytochrome P450 enzymes, 289
PR
Quantitation of estradiol receptors alpha and beta and progesterone receptors in human breast tumors by real-time reverse transcription-polymerase chain reaction. Correlation with protein assays, 507
Pro-apoptotic
Is HIF-1α a pro- or an anti-apoptotic protein?, 889
Proinflammatory cytokines
Up-regulation of A_{2A} adenosine receptors by proinflammatory cytokines in rat PC12 cells, 625
Proliferation
Reduction of bFGF-induced smooth muscle cell proliferation and endothelin receptor mRNA expression by mevastatin and atorvastatin, 497
Function of AP-1 target genes in mesenchymal–epithelial cross-talk in skin, 949
Age-related decline in cellular response to oxidative stress: links to growth factor signaling pathways with common defects, 999
Prolyl hydroxylase
Signal transduction to hypoxia-inducible factor 1, 993
Prolyl oligopeptidase
Substrate-dependent, non-hyperbolic kinetics of pig brain prolyl oligopeptidase and its tight binding inhibition by JTP-4819, 463
Promoter
Activation of the γ-glutamyltransferase promoter 2 in the rat colon carcinoma cell line CC531 by histone deacetylase inhibitors is mediated through the Sp1 binding motif, 307
Prooxidants
Role of antioxidants in the *O*-hydroxyethyl-D-$(Ser)^8$-cyclosporine A (SDZ IMM125)-induced apoptosis in rat hepatocytes, 1725
Propofol
Inhibition of cytochrome P450 2E1 by propofol in human and porcine liver microsomes, 1151
Prostacyclin
Inhibition by adenine dinucleotides of ATP-induced prostacyclin release by bovine aortic endothelial cells, 405
Prostaglandin
Diverse functional coupling of cyclooxygenase 1 and 2 with final prostanoid synthases in liver macrophages, 1227
Hyperforin is a dual inhibitor of cyclooxygenase-1 and 5-lipoxygenase, 1767
Prostaglandin E_1
Agents that elevate cyclic AMP induce receptor phosphorylation primarily at serine 331 in HEK 293 cells overexpressing human thromboxane receptor α, 375
Prostaglandin E_2
Inhibition of prostaglandin E_2 production by taiwanin C isolated from the root of *Acanthopanax chiisanensis* and the mechanism of action, 1345
Prostaglandin $F_{2\alpha}$
Arachidonic acid release and prostaglandin $F_{2\alpha}$ formation induced by phenylarsine oxide in PC12 cells: possible involvement of secretory phospholipase A_2 activity, 117
Proteasome
Cell culture model for acetaminophen-induced hepatocyte death *in vivo*, 413
Evasion from proteasomal degradation by mutated Fos proteins expressed from FBJ-MSV and FBR-MSV osteosarcomatogenic retroviruses, 957

Protein degradation
Evasion from proteasomal degradation by mutated Fos proteins expressed from FBJ-MSV and FBR-MSV osteosarcomatogenic retroviruses, 957
Protein dephosphorylation
Down-regulation of telomerase activity via protein phosphatase 2A activation in salvicine-induced human leukemia HL-60 cell apoptosis, 1677
Protein kinase A
Agents that elevate cyclic AMP induce receptor phosphorylation primarily at serine 331 in HEK 293 cells overexpressing human thromboxane receptor α, 375
Protein kinase C
Phorbol ester-induced contractility and Ca^{2+} influx in human cultured prostatic stromal cells, 385
Enhancement of protein kinase C activity and chemiluminescence intensity in mitochondria isolated from the kidney cortex of rats treated with cephaloridine, 543
Potentiation of 1,25-dihydroxyvitamin D_3-induced differentiation of human promyelocytic leukemia cells into monocytes by costunolide, a germacranolide sesquiterpene lactone, 1233
Protein thiols
Glutathione catabolism as a signaling mechanism, 1027
Proteoglycans
Inhibition of heparin synthesis by methotrexate in rats *in vivo*, 169
Proteomics
Growth signaling in breast cancer cells: outcomes and promises of proteomics, 797
Stress-induced premature senescence and replicative senescence are different phenotypes, proteomic evidence, 1011
Pseudomonas aeruginosa
Enhanced activity of liposomal polymyxin B against *Pseudomonas aeruginosa* in a rat model of lung infection, 1407
Psoriasis
UVB light suppresses nitric oxide production by murine keratinocytes and macrophages, 1469
Public health
Genomic responses to herbal extracts: lessons from *in vitro* and *in vivo* studies with an extract of *Ginkgo biloba*, 913
Purine nucleotides
Distinct interactions of $G_{s\alpha\text{-long}}$, $G_{s\alpha\text{-short}}$, and $G_{\alpha olf}$ with GTP, ITP, and XTP, 583
Purinergic signaling
Inhibition of platelet P2Y12 and α2A receptor signaling by cGMP-dependent protein kinase, 433
Purvalanol
Identifying *in vivo* targets of cyclin-dependent kinase inhibitors by affinity chromatography, 819
Putrescine
Insufficiently charged isosteric analogue of spermine: interaction with polyamine uptake, and effect on Caco-2 cell growth, 649
PXR
PXR-dependent induction of human *CYP3A4* gene expression by organochlorine pesticides, 1513
Pyridoxal isonicotinoyl hydrazone (PIH)
Mobilization of intracellular iron by analogs of pyridoxal isonicotinoyl hydrazone (PIH) is determined by the membrane permeability of the iron–chelator complexes, 1689
Pyrimidine nucleoside metabolism
Analytical and pharmacokinetic studies with 5-chloro-2′-deoxycytidine, 1493
Pyruvate kinase
Signaling cross-talk between hypoxia and glucose via hypoxia-inducible factor 1 and glucose response elements, 903

Quantitative assay
Gene expression profiling of drug metabolism and toxicology markers using a low-density DNA microarray, 137
Quantitative RT-PCR
Quantitation of estradiol receptors alpha and beta and progesterone receptors in human breast tumors by real-time reverse transcription-polymerase chain reaction. Correlation with protein assays, 507
Quarternary arrangement
Differential activity by DNA-induced quarternary structures of POU transcription factors, 979
Quercetin
Quercetin, apoptosis, heat shock, 1591
Quinones
Cytotoxicity of dopamine-derived tetrahydroisoquinolines on melanoma cells, 1503

Rac_1
Differential effect of simvastatin on activation of Rac_1 vs. activation of the heat shock protein 27-mediated pathway upon oxidative stress, in human smooth muscle cells, 1483
Radiation sensitization
Analytical and pharmacokinetic studies with 5-chloro-2′-deoxycytidine, 1493
Rainbow trout
Analysis of rainbow trout Ah receptor protein isoforms in cell culture reveals conservation of function in Ah receptor-mediated signal transduction, 49
Raltitrexed
Effects of antifolates on the binding of 5-fluoro-2′-deoxyuridine monophosphate to thymidylate synthase, 669
Rapamycin
A novel pathway regulating the mammalian target of rapamycin (mTOR) signaling, 1071
Rat aortic smooth muscle cell
Antioxidants inhibit endothelin-1 (1–31)-induced proliferation of vascular smooth muscle cells via the inhibition of mitogen-activated protein (MAP) kinase and activator protein-1 (AP-1), 1521
Rat conceptus
Expression and activity of the DNA repair enzyme uracil DNA glycosylase during organogenesis in the rat conceptus and following methotrexate exposure *in vitro*, 711
Rat heart mitochondria
Inhibition of phosphate transport in rat heart mitochondria by 3′-azido-3′-deoxythymidine due to stimulation of superoxide anion mitochondrial production, 201
Rat liver
Gene expression profiling of drug metabolism and toxicology markers using a low-density DNA microarray, 137
Rat liver mitochondria
Effects of nitrosopropofol on mitochondrial energy-converting system, 1133
Rat PC12 cells
Up-regulation of A_{2A} adenosine receptors by proinflammatory cytokines in rat PC12 cells, 625
Rats
Effect of pirfenidone against vanadate-induced kidney fibrosis in rats, 517
Effects of *in vivo* treatment of rats with trimethyltin chloride on respiratory properties of rat liver mitochondria, 657
Regulation of anandamide tissue levels by *N*-arachidonylglycine, 1147
RAW 264.7
G protein-coupled receptor for nicotinic acid in mouse macrophages, 645
RAW cells
Regulation of anandamide tissue levels by *N*-arachidonylglycine, 1147
Reactive oxygen species
Enhancement of protein kinase C activity and chemiluminescence intensity in mitochondria isolated from the kidney cortex of rats treated with cephaloridine, 543
Independent contribution of three different pathways to ultraviolet-B-induced apoptosis, 837

Age-related decline in cellular response to oxidative stress: links to growth factor signaling pathways with common defects, 999
Antioxidants inhibit endothelin-1 (1–31)-induced proliferation of vascular smooth muscle cells via the inhibition of mitogen-activated protein (MAP) kinase and activator protein-1 (AP-1), 1521
Receptor
Agents that elevate cyclic AMP induce receptor phosphorylation primarily at serine 331 in HEK 293 cells overexpressing human thromboxane receptor α, 375
Cysteinyl leukotriene receptors, 1549
Receptor reserve
Modulation of agonist responses at the A_1 adenosine receptor by an irreversible antagonist, receptor–G protein uncoupling and by the G protein activation state, 1251
Receptor tyrosine kinase
Signal transduction to hypoxia-inducible factor 1, 993
Recombinant glycine receptors
Hyperekplexia mutation of glycine receptors: decreased gating efficacy with altered binding thermodynamics, 285
Recombinant models
Endogenous drug transporters in *in vitro* and *in vivo* models for the prediction of drug disposition in man, 1569
Redox regulation
Cell signalling and the glutathione redox system, 1057
Thioredoxins and related proteins in photosynthetic organisms: molecular basis for thiol dependent regulation, 1065
Redox transcription factors
Cell signalling and the glutathione redox system, 1057
Regulation
Differential activity by DNA-induced quarternary structures of POU transcription factors, 979
Enhanced activity of human *N*-myristoyltransferase by dimethyl sulfoxide and related solvents in the presence of serine/threonine-containing peptide substrates, 1461
Influence of isolation procedure, extracellular matrix and dexamethasone on the regulation of membrane transporters gene expression in rat hepatocytes, 1637
Renal
Novel effect of carvedilol on Ca^{2+} movement in renal tubular cells, 1777
Respiration
Effects of *in vivo* treatment of rats with trimethyltin chloride on respiratory properties of rat liver mitochondria, 657
Effects of nitrosopropofol on mitochondrial energy-converting system, 1133
Resveratrol
The antiproliferative activity of resveratrol results in apoptosis in MCF-7 but not in MDA-MB-231 human breast cancer cells: cell-specific alteration of the cell cycle, 1375
Retinoblastoma protein
SU9516, a cyclin-dependent kinase 2 inhibitor, promotes accumulation of high molecular weight E2F complexes in human colon carcinoma cells, 1091
Retrovirus
Evasion from proteasomal degradation by mutated Fos proteins expressed from FBJ-MSV and FBR-MSV osteosarcomatogenic retroviruses, 957
Rheumatoid arthritis
Effects of polysulfated glycosaminoglycan and triamcinolone acetonid on the production of proteinases and their inhibitors by IL-1α treated articular chondrocytes, 217
Rho proteins
Reduction of tumor necrosis factor-alpha (TNF-α) related nuclear factor-kappaB (NF-κB) translocation but not inhibitor kappa-B (Iκ-B)-degradation by Rho protein inhibition in human endothelial cells, 971
Ribonucleotide reductase
Ribonucleotide reductase and thymidine phosphorylation: two potential targets of azodicarbonamide, 451
Trimidox, an inhibitor of ribonucleotide reductase, synergistically enhances the inhibition of colony formation by Ara-C in HL-60 human promyelocytic leukemia cells, 481
The antiproliferative activity of resveratrol results in apoptosis in MCF-7 but not in MDA-MB-231 human breast cancer cells: cell-specific alteration of the cell cycle, 1375
ROS
Novel mechanism of Vitamin E protection against cyclosporine A cytotoxicity in cultured rat hepatocytes, 267
Cytotoxicity of dopamine-derived tetrahydroisoquinolines on melanoma cells, 1503
Emodin induces apoptosis in human promyeloleukemic HL-60 cells accompanied by activation of caspase 3 cascade but independent of reactive oxygen species production, 1713

Saccharomyces cerevisiae
Complementary DNA cloning and characterization of cytochrome P450 2D29 from Japanese monkey liver, 1101
Salvia miltiorrhiza
Sodium tanshinone IIA sulfonate derived from Danshen (*Salvia miltiorrhiza*) attenuates hypertrophy induced by angiotensin II in cultured neonatal rat cardiac cells, 745
Salvicine
Down-regulation of telomerase activity via protein phosphatase 2A activation in salvicine-induced human leukemia HL-60 cell apoptosis, 1677
Sandwich culture
Influence of isolation procedure, extracellular matrix and dexamethasone on the regulation of membrane transporters gene expression in rat hepatocytes, 1637
Scaffolding proteins
Fidelity and spatio-temporal control in MAP kinase (ERKs) signalling, 755
Schistosoma mansoni
Evidence for the presence of glutamatergic receptors in adult *Schistosoma mansoni*, 1337
Scutellaria baicalensis Georgi
Anxiolytic effect of wogonin, a benzodiazepine receptor ligand isolated from *Scutellaria baicalensis* Georgi, 1415
SDZ IMM125
Role of antioxidants in the *O*-hydroxyethyl-D-$(Ser)^8$-cyclosporine A (SDZ IMM125)-induced apoptosis in rat hepatocytes, 1725
Second messenger
Effector coupling of stably transfected human A_3 adenosine receptors in CHO cells, 61
Cyclic AMP differentially modulates CD40L expression on human naïve and memory $CD4^+$ T cells, 1169
Secondary iron overload
Mobilization of intracellular iron by analogs of pyridoxal isonicotinoyl hydrazone (PIH) is determined by the membrane permeability of the iron–chelator complexes, 1689
Secretory phospholipase A_2
Arachidonic acid release and prostaglandin $F_{2\alpha}$ formation induced by phenylarsine oxide in PC12 cells: possible involvement of secretory phospholipase A_2 activity, 117
Selective glucocorticoid receptor modulators
Designer glucocorticoids, 355
Selectivity
Identifying *in vivo* targets of cyclin-dependent kinase inhibitors by affinity chromatography, 819
Selenium
Inhibition of zinc finger protein–DNA interactions by sodium selenite, 1757
Senescence
Stress-induced premature senescence and tissue ageing, 1007
Sequence specifcity
DNA structural alterations induced by bis-netropsins modulate human DNA topoisomerase I cleavage activity and poisoning by camptothecin, 79

Serine protease
Substrate-dependent, non-hyperbolic kinetics of pig brain prolyl oligopeptidase and its tight binding inhibition by JTP-4819, 463
Sf9 insect cells
Distinct interactions of $G_{s\alpha\text{-long}}$, $G_{s\alpha\text{-short}}$, and G_{olf} with GTP, ITP, and XTP, 583
Shock
Role of poly(ADP-ribose) polymerase activation in endotoxin-induced cardiac collapse in rodents, 1785
Signal transduction
Independent contribution of three different pathways to ultraviolet-B-induced apoptosis, 837
Cellular glutathione and thiols metabolism, 1019
Glutathione catabolism as a signaling mechanism, 1027
Glutathionylation of proteins by glutathione disulfide S-oxide, 1049
Chemosensitization by fibroblast growth factor-2 is not dependent upon proliferation, S-phase accumulation, or p53 status, 1111
Signaling pathways
Growth signaling in breast cancer cells: outcomes and promises of proteomics, 797
Simvastatin
Differential effect of simvastatin on activation of Rac_1 vs. activation of the heat shock protein 27-mediated pathway upon oxidative stress, in human smooth muscle cells, 1483
Single nucleotide polymorphism
Human histamine *N*-methyltransferase pharmacogenetics: gene resequencing, promoter characterization, and functional studies of a common 5′-flanking region single nucleotide polymorphism (SNP), 699
SIPS
Stress-induced premature senescence and replicative senescence are different phenotypes, proteomic evidence, 1011
Site-directed mutagenesis
Identification of residues involved in the substrate specificity of human and murine dCK, 1559
Skin
UVB light suppresses nitric oxide production by murine keratinocytes and macrophages, 1469
Small molecule inhibitors
Inhibition of zinc finger protein–DNA interactions by sodium selenite, 1757
Smooth muscle cells
Reduction of bFGF-induced smooth muscle cell proliferation and endothelin receptor mRNA expression by mevastatin and atorvastatin, 497
Snake venom
Biochemical and biological properties of phospholipases A_2 from *Bothrops atrox* snake venom, 1179
S-Nitrosoglutathione
Glutathionylation of proteins by glutathione disulfide S-oxide, 1049
SNPs
Human histamine *N*-methyltransferase pharmacogenetics: gene resequencing, promoter characterization, and functional studies of a common 5′-flanking region single nucleotide polymorphism (SNP), 699
SOD
Emodin induces apoptosis in human promyeloleukemic HL-60 cells accompanied by activation of caspase 3 cascade but independent of reactive oxygen species production, 1713
Sodium tanshinone IIA sulfonate
Sodium tanshinone IIA sulfonate derived from Danshen (*Salvia miltiorrhiza*) attenuates hypertrophy induced by angiotensin II in cultured neonatal rat cardiac cells, 745
Soluble guanylyl cyclase
Biliverdin IX is an endogenous inhibitor of soluble guanylyl cyclase, 109
$S1P_5$ receptor
Comparative analysis of human and rat $S1P_5$ (edg8): differential expression profiles and sensitivities to antagonists, 1243
Sp1 transcription factor site
Activation of the γ-glutamyltransferase promoter 2 in the rat colon carcinoma cell line CC531 by histone deacetylase inhibitors is mediated through the Sp1 binding motif, 307
Spermidine
Insufficiently charged isosteric analogue of spermine: interaction with polyamine uptake, and effect on Caco-2 cell growth, 649
Spermine
Insufficiently charged isosteric analogue of spermine: interaction with polyamine uptake, and effect on Caco-2 cell growth, 649
Sphingosine 1-phosphate
Comparative analysis of human and rat $S1P_5$ (edg8): differential expression profiles and sensitivities to antagonists, 1243
STAT-3
Endoplasmic reticulum (ER) stress: hepatitis C virus induces an ER-nucleus signal transduction pathway and activates NF-κB and STAT-3, 1425
Statins
Reduction of bFGF-induced smooth muscle cell proliferation and endothelin receptor mRNA expression by mevastatin and atorvastatin, 497
Staurosporine
Induction of cyclooxygenase-2 by staurosporine through the activation of nuclear factor for IL-6 (NF-IL6) and activator protein 2 (AP2) in an osteoblast-like cell line, 177
Stem cell factor
Induction of interleukin 8 release from the HMC-1 mast cell line: Synergy between stem cell factor and activators of the adenosine A_{2b} receptor, 317
Stereo-selective
A novel stereo-selective sulfonylurea, 1-[1-(4-aminobenzoyl)-2,3-dihydro-1*H*-indol-6-sulfonyl]-4-phenyl-imidazolidin-2-one, has antitumor efficacy in *in vitro* and *in vivo* tumor models, 473
Steroid receptor ligand
Designer glucocorticoids, 355
Stomach cancer
5-Fluorouracil inhibits nitric oxide production through the inactivation of IκB kinase in stomach cancer cells, 1439
Stress
Stress-induced premature senescence and tissue ageing, 1007
Stress-induced premature senescence and replicative senescence are different phenotypes, proteomic evidence, 1011
Structure–metabolism relationship
Carbonyl reduction of the potential cytostatic drugs benfluron and 3,9-dimethoxybenfluron in human *in vitro*, 297
Strychnine
Hyperekplexia mutation of glycine receptors: decreased gating efficacy with altered binding thermodynamics, 285
Substrate channeling
Toxic, halogenated cysteine *S*-conjugates and targeting of mitochondrial enzymes of energy metabolism, 553
Substrate inhibition
Substrate-dependent, non-hyperbolic kinetics of pig brain prolyl oligopeptidase and its tight binding inhibition by JTP-4819, 463
Substrate specificity
Identification of residues involved in the substrate specificity of human and murine dCK, 1559
Sulfonylureas
A novel stereo-selective sulfonylurea, 1-[1-(4-aminobenzoyl)-2,3-dihydro-1*H*-indol-6-sulfonyl]-4-phenyl-imidazolidin-2-one, has antitumor efficacy in *in vitro* and *in vivo* tumor models, 473
Sulindac sulfone
Pro-apoptotic actions of exisulind and CP461 in SW480 colon tumor cells involve β-catenin and cyclin D1 down-regulation, 1325
Superoxide anion
Inhibition of phosphate transport in rat heart mitochondria by 3′-azido-3′-deoxythymidine due to stimulation of superoxide anion mitochondrial production, 201

Superoxide anions
Analysis of oxidative processes and of myelin figures formation before and after the loss of mitochondrial transmembrane potential during 7β-hydroxycholesterol and 7-ketocholesterol-induced apoptosis: comparison with various pro-apoptotic chemicals, 527
Supersensitivity
Role of noradrenaline on the expression of the Na^+/K^+-ATPase α_2 isoform and the contractility of cultured rat vas deferens, 1431
Suramin
Comparative analysis of human and rat $S1P_5$ (edg8): differential expression profiles and sensitivities to antagonists, 1243
Synaptic membranes
Degradation of nociceptin (orphanin FQ) by mouse spinal cord synaptic membranes is triggered by endopeptidase-24.11: an *in vitro* and *in vivo* study, 1293
Synergetic effects
Cytotoxic and genotoxic effects of megazol, an anti-Chagas' disease drug, assessed by different short-term tests, 1617
Synergism
Contribution of apoptosis in the cytotoxicity of the oxaliplatin–irinotecan combination in the HT29 human colon adenocarcinoma cell line, 1215
Systemic autoimmune disease
Lysophosphatidylcholine as a ligand for immunoregulation, 161

T lymphocyte
Inhibition of the activity of T lymphocyte Kv1.3 channels by extracellular zinc, 595
T lymphocytes
Cyclic AMP differentially modulates CD40L expression on human naïve and memory $CD4^+$ T cells, 1169
Taiwanin C
Inhibition of prostaglandin E_2 production by taiwanin C isolated from the root of *Acanthopanax chiisanensis* and the mechanism of action, 1345
Tamoxifen
Modulation of tamoxifen-induced apoptosis by peripheral benzodiazepine receptor ligands in breast cancer cells, 99
Tanford transition
Retinoic acid binding properties of the lipocalin member β-lactoglobulin studied by circular dichroism, electronic absorption spectroscopy and molecular modeling methods, 1651
Target genes
Function of AP-1 target genes in mesenchymal–epithelial cross-talk in skin, 949
Taurine
Hyperekplexia mutation of glycine receptors: decreased gating efficacy with altered binding thermodynamics, 285
TCDD
Analysis of rainbow trout Ah receptor protein isoforms in cell culture reveals conservation of function in Ah receptor-mediated signal transduction, 49
Telomerase
Down-regulation of telomerase activity via protein phosphatase 2A activation in salvicine-induced human leukemia HL-60 cell apoptosis, 1677
Teratogen
Expression and activity of the DNA repair enzyme uracil DNA glycosylase during organogenesis in the rat conceptus and following methotrexate exposure *in vitro*, 711
Tetrachloroethylene
Toxic, halogenated cysteine *S*-conjugates and targeting of mitochondrial enzymes of energy metabolism, 553
S-(1,1,2,2-Tetrafluoroethyl)-L-cysteine
Toxic, halogenated cysteine *S*-conjugates and targeting of mitochondrial enzymes of energy metabolism, 553
Tetrafluoroethylene
Toxic, halogenated cysteine *S*-conjugates and targeting of mitochondrial enzymes of energy metabolism, 553
Tetrahydroisoquinolines
Cytotoxicity of dopamine-derived tetrahydroisoquinolines on melanoma cells, 1503
Tetrahydrouridine
Analytical and pharmacokinetic studies with 5-chloro-2′-deoxycytidine, 1493
Thalassemia
Membrane heme as a host factor in reducing effectiveness of dihydroartemisinin, 91
Thapsigargin
Novel effect of carvedilol on Ca^{2+} movement in renal tubular cells, 1777
Theories
Stress-induced premature senescence and replicative senescence are different phenotypes, proteomic evidence, 1011
Therapeutic drugs
Predicting plasma protein binding of drugs: a new approach, 1355
Theraputics
Designed transcription factors as tools for therapeutics and functional genomics, 919
Therapy
Inflammatory signal transduction in Crohn's disease and novel therapeutic approaches, 789
Thermodynamics of binding
Hyperekplexia mutation of glycine receptors: decreased gating efficacy with altered binding thermodynamics, 285
Thiazolidinediones
Synergistic effects of troglitazone and oleate on the translatability of preproinsulin mRNA from INS-1 cells, 1629
Thiolester inhibitors
Novel competitive irreversible inhibitors of aldehyde dehydrogenase (ALDH1): restoration of chemosensitivity of L1210 cells overexpressing ALDH1 and induction of apoptosis in BAF_3 cells overexpressing bcl_2, 1279
Thiols
Cell signalling and the glutathione redox system, 1057
Thioredoxin
Cellular glutathione and thiols metabolism, 1019
Thioredoxins and related proteins in photosynthetic organisms: molecular basis for thiol dependent regulation, 1065
Threshold
A physiological threshold for protection against menadione toxicity by human NAD(P)H:quinone oxidoreductase (NQO1) in Chinese hamster ovary (CHO) cells, 1597
Thromboxane A_2
Agents that elevate cyclic AMP induce receptor phosphorylation primarily at serine 331 in HEK 293 cells overexpressing human thromboxane receptor α, 375
Thymidine kinase 1
3′-Azido-2′,3′-dideoxythymidine induced deficiency of thymidine kinases 1, 2 and deoxycytidine kinase in H9 T-lymphoid cells, 239
Thymidine phosphorylation
Ribonucleotide reductase and thymidine phosphorylation: two potential targets of azodicarbonamide, 451
Thymidylate synthase
Effects of antifolates on the binding of 5-fluoro-2′-deoxyuridine monophosphate to thymidylate synthase, 669
Tight binding inhibition
Substrate-dependent, non-hyperbolic kinetics of pig brain prolyl oligopeptidase and its tight binding inhibition by JTP-4819, 463
Tissue inhibitor of metalloproteinases
Effects of polysulfated glycosaminoglycan and triamcinolone acetonid on the production of proteinases and their inhibitors by IL-1α treated articular chondrocytes, 217
TNF-α
Oxidative stress, transcription factors and chromatin remodelling in lung inflammation, 935
Reduction of tumor necrosis factor-alpha (TNF-α) related nuclear factor-kappaB (NF-κB) translocation but not inhibitor kappa-B

(Iκ-B)-degradation by Rho protein inhibition in human endothelial cells, 971
Toll-like receptors
Multiple signaling pathways leading to the activation of interferon regulatory factor 3, 985
Topoisomerase I
DNA structural alterations induced by bis-netropsins modulate human DNA topoisomerase I cleavage activity and poisoning by camptothecin, 79
Topoisomerase I inhibitor
The activity profile of the hexacyclic camptothecin derivative DX-8951f in experimental human colon cancer and ovarian cancer, 1267
Toxicogenomics
Gene expression profiling of drug metabolism and toxicology markers using a low-density DNA microarray, 137
Transcription
Designed transcription factors as tools for therapeutics and functional genomics, 919
Diversity of acetylation targets and roles in transcriptional regulation: the human immunodeficiency virus type 1 promoter as a model system, 925
Multiple signaling pathways leading to the activation of interferon regulatory factor 3, 985
Transcription factor
Is there a single mechanism for fatty acid regulation of gene transcription?, 893
Transcription factor–DNA interactions
Inhibition of zinc finger protein–DNA interactions by sodium selenite, 1757
Transcription factors
Reduction of tumor necrosis factor-alpha (TNF-α) related nuclear factor-kappaB (NF-κB) translocation but not inhibitor kappa-B (Iκ-B)-degradation by Rho protein inhibition in human endothelial cells, 971
Transcriptional activity
Regulation of the transcriptional activity of the nuclear factor-κB p65 subunit, 963
Transcriptional regulation
Transcriptional regulators of the human multidrug resistance 1 gene: recent views, 943
Transferrin
Paramagnetic species in the plasma of dogs with lymphoma prior to and after treatment with doxorubicin. An ESR study, 1737
Transformation
Carbazolequinone induction of caspase-dependent cell death in Src-overexpressing cells, 1605
Transgenic animals
Uncoupling protein 2 (UCP2) lowers alcohol sensitivity and pain threshold, 369
Transgenic mice
ErbB-2-induced mammary tumor growth: the role of cyclin D1 and p27Kip1, 827
Transmembrane potential
Effects of nitrosopropofol on mitochondrial energy-converting system, 1133
Transport
Influence of isolation procedure, extracellular matrix and dexamethasone on the regulation of membrane transporters gene expression in rat hepatocytes, 1637
Trichloroethylene
Toxic, halogenated cysteine *S*-conjugates and targeting of mitochondrial enzymes of energy metabolism, 553
Trichostatin A
Diversity of acetylation targets and roles in transcriptional regulation: the human immunodeficiency virus type 1 promoter as a model system, 925
Trimethyltin chloride
Effects of *in vivo* treatment of rats with trimethyltin chloride on respiratory properties of rat liver mitochondria, 657
TRNOE
Differential binding to the α/β-tubulin dimer of vinorelbine and vinflunine revealed by nuclear magnetic resonance analyses, 733
Troglitazone
Synergistic effects of troglitazone and oleate on the translatability of preproinsulin mRNA from INS-1 cells, 1629
Tubulin
Differential binding to the α/β-tubulin dimer of vinorelbine and vinflunine revealed by nuclear magnetic resonance analyses, 733
Tumor
Glutamate antagonists limit tumor growth, 1195
Tumourigenesis
Function of AP-1 target genes in mesenchymal–epithelial cross-talk in skin, 949
Two-state model
Modulation of agonist responses at the A_1 adenosine receptor by an irreversible antagonist, receptor–G protein uncoupling and by the G protein activation state, 1251

U-937
Effects of FK228, a novel histone deacetylase inhibitor, on human lymphoma U-937 cells *in vitro* and *in vivo*, 1079
Ubiquitin
Evasion from proteasomal degradation by mutated Fos proteins expressed from FBJ-MSV and FBR-MSV osteosarcomatogenic retroviruses, 957
Ubiquitination
Regulation of p53: intricate loops and delicate balances, 865
Ultraviolet light
UVB light suppresses nitric oxide production by murine keratinocytes and macrophages, 1469
Unconjugated bilirubin
In vivo anti-complement effect of bilirubin-IXα, 741
Uncoupling proteins
Uncoupling protein 2 (UCP2) lowers alcohol sensitivity and pain threshold, 369
Uracil DNA glycosylase
Expression and activity of the DNA repair enzyme uracil DNA glycosylase during organogenesis in the rat conceptus and following methotrexate exposure *in vitro*, 711
Ursodeoxycholic acid
Antioxidant properties of ursodeoxycholic acid, 1661
UVB radiation
Independent contribution of three different pathways to ultraviolet-B-induced apoptosis, 837

V79 Chinese hamster fibroblasts
Covalent binding of the anticancer drug ellipticine to DNA in V79 cells transfected with human cytochrome P450 enzymes, 289
Vanadate
Effect of pirfenidone against vanadate-induced kidney fibrosis in rats, 517
Vas deferens
Role of noradrenaline on the expression of the Na^+/K^+-ATPase α_2 isoform and the contractility of cultured rat vas deferens, 1431
Vascular smooth muscle
Endothelin-1-induced arachidonic acid release by cytosolic phospholipase A_2 activation in rat vascular smooth muscle via extracellular signal-regulated kinases pathway, 425
Antagonist interaction with endogenous AT_1 receptors in human cell lines, 1207
Vinflunine
Differential binding to the α/β-tubulin dimer of vinorelbine and vinflunine revealed by nuclear magnetic resonance analyses, 733
Vinorelbine
Differential binding to the α/β-tubulin dimer of vinorelbine and vinflunine revealed by nuclear magnetic resonance analyses, 733

Vitamin E
Novel mechanism of Vitamin E protection against cyclosporine A cytotoxicity in cultured rat hepatocytes, 267
v-src
Carbazolequinone induction of caspase-dependent cell death in Src-overexpressing cells, 1605

Wogonin
Anxiolytic effect of wogonin, a benzodiazepine receptor ligand isolated from *Scutellaria baicalensis* Georgi, 1415
Wound healing
Function of AP-1 target genes in mesenchymal–epithelial cross-talk in skin, 949

Xenobiotic
PXR-dependent induction of human *CYP3A4* gene expression by organochlorine pesticides, 1513
X-ray crystallography
Structural and functional characterization of an acidic platelet aggregation inhibitor and hypotensive phospholipase A_2 from *Bothrops jararacussu* snake venom, 723

Yeast
Cytotoxic and genotoxic effects of megazol, an anti-Chagas' disease drug, assessed by different short-term tests, 1617

Zidovudine
3′-Azido-2′,3′-dideoxythymidine induced deficiency of thymidine kinases 1, 2 and deoxycytidine kinase in H9 T-lymphoid cells, 239
Zinc
Indomethacin-induced mitochondrial dysfunction and oxidative stress in villus enterocytes, 339
Inhibition of the activity of T lymphocyte Kv1.3 channels by extracellular zinc, 595
Zinc finger protein
Designed transcription factors as tools for therapeutics and functional genomics, 919
Zinc finger proteins
Inhibition of zinc finger protein–DNA interactions by sodium selenite, 1757